

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

a821
A75645
Lap. 2

S*

A BIBLIOGRAPHY ON THE USE OF
INFRARED SPECTROPHOTOMETRY IN
PESTICIDE AND PESTICIDE RESIDUE STUDIES

ARS-NE-91
1978

A BIBLIOGRAPHY ON THE USE OF INFRARED SPECTROPHOTOMETRY
IN PESTICIDE AND PESTICIDE RESIDUE STUDIES

By Paul A. Giang^{1/}

This bibliography on the use of infrared spectrophotometry in pesticide and pesticide residue studies is a list of publications compiled from scientific journals and books in the author's laboratory in the past few years. It is provided as a ready reference for those who are interested in pesticide studies and wish to search the literature for information on the use of infrared spectrophotometry. An attempt has been made to include published references on all the different and related analytical methods of infrared spectrophotometry such as qualitative or quantitative analytical methods for pesticide compounds, methods of combining gas chromatography with infrared, attenuated total reflection spectrometry, Raman spectrometry, and interferometry.

Some references dealing only with infrared spectrophotometry in general but which seem to be of interest to pesticide chemists are also included.

The references are arranged alphabetically by senior author, and the works of the same author are further arranged chronologically and according to the number of authors.

The following key is used to indicate the subject matter:

(A)	Acaricide	(M)	Molluscicide
(Fum)	Fumigant	(N)	Nematicide
(F)	Fungicide	(PGR)	Plant Growth Regulator
(H)	Herbicide	(R)	Rodenticide
(I)	Insecticide	(S)	Synergist
(IR)	Insect Repellent	(IT)	Infrared Technique

^{1/}

Research Chemist, Analytical Chemistry Laboratory, Agricultural
Environmental Quality Institute, Beltsville, Md. 20705.

- Abbott, D. C., and N. T. Crosby
1964. Instrumentation in the analysis of pesticide residues. Chem. Trade J. Chem. Eng. 155: 81-94. I
- Abdel-Wahab, M. F., S. A. El-Kinawy, N. A. Farid, and Amina M. El-Shinnawy
1966. Infrared study of new sulfonylurea derivatives and sulfonamides. Anal. Chem. 38: 508-509. I,F
- Abou-Donia, M. B.
1975. Ultraviolet spectroscopic studies of DDT-type compounds. Appl. Spectrosc. 29: 261-264. I
-
- and D. B. Menzell
1968. Separation and identification of DDT-type compounds by system combining thin-layer chromatography, gas chromatography and infrared spectroscopy. J. Assoc. Off. Anal. Chemists 51: 1247-1260. I
- Acree, Fred, Jr., and Morton Berosa
1962. Quantitative gas chromatography of isomers of insect repellent N,N-diethyl toluamide. J. Econ. Entomol. 55: 619-622. IR
- Adams, D. M., and J. B. Cornell
1967. Far infrared spectra of some complexes of thiourea and ethylenethiourea (imidazolidine-2-thione). J. Chem. Soc. (A) (London), pp. 884-889. F
-
- and J. B. Cornell
1968. Dithiolate and dithiophosphate complexes and correlations for $\nu(M-S)$. J. Chem. Soc. (A) (London), pp. 1299-1303. F
- Alha, Antti R., Veikko Tamminen, Anna-Lusa Mukula, and others
1960. Ultrarotspektroskopie in der gerichtchemischen Analytik II. Chemische Untersuchung in 4 Todesfällen: 1. Tofranil-Vergiftung, und Kombinierte Vergiftungen, 2. Parathion und Endrin, 3. Nicotin und Parathion, 4. Pentymal, Disulfiram und Äthanol. Arch. Toxikol. 18: 347-358. [In German.] I
- Allen, J. D.
1973. A review of methods of analysis for oxides of nitrogen. J. Inst. Fuel 46(384): 123-133. Fum

- Aly, O. M., S. D. Faust, and I. H. Suffet
1971. Ultraviolet spectrophotometry in residue analysis; spectra-structure correlations. In Pesticide identification at the residue level, Robert F. Gould (ed.). ACS. Adv. Chem. Ser. 104: 95-118. I,F
- American Society for Testing and Materials
1973. Tentative methods of test for carbon monoxide in the atmosphere (continuous measurement by non-dispersive infrared spectrometry). ASTM Stand. 23: 1032-1035. Fum
- Anderson, B. S.
1974. Infrared analysis of pesticides. Can. J. Spectrosc. 19(2): 37-39. I
- Anderson, D. H., and T. E. Wilson
1975. Novel approach to micro-infrared sample preparation. Anal. Chem. 47: 2482-2483. I
- Anderson, R. L., W. J. Smith, and J. F. Below
1963. The determination of technical Imidan by differential infrared spectrophotometry. Stauffer Chemical Co., Rep. No. 63/535. I
- Andrew, Howard L., W. C. White, L. R. Gamow, and Dorothy C. Peterson
1946. Some physical properties of DDT and certain derivatives. U.S. Public Health Rep. 61: 450-456. I
- Archer, T. E., G. Zweig, W. L. Winterlen, and E. C. Francis
1952. Residue analysis of phorate by cholinesterase inhibition after oxidation. Spectrochim. Acta 24A: 1031-1035. I
- Arthur, B. W., and J. E. Casida
1959. Biological activity and metabolism of Hercules AC-528 components in rats and cockroaches. J. Econ. Entomol. 52: 20-27. I,M
- Ashdown, A., and T. A. Kletz
1948. The infrared spectra of mixtures of aldehydes and alcohols. J. Chem. Soc. (London), pp. 1454-1460. I
- Astep, Patricia A., and Clarence Karr, Jr.
1962. A liquid ultramicrocavity cell holder for use with an infrared beam condenser. Appl. Spectrosc. 16: 167. IT

- Austin, H. C., Jr., F. L. Bonner, and E. A. Epps, Jr.
1957. Infrared spectrophotometric determination of DDT and gamma benzene hexachloride in cotton dusts. J. Assoc. Off. Anal. Chemists 40: 286-293. I
- Avella, T., A. Copin, R. Caussin, and others
1970. Application de la spectrometrie par Reflexion totale atteneue dans l'Infrarouge a l'Etude des Depots de quelques Produits phytopharmaceutiques. Bull Rech. Agron. Gembloux 5: 341-351. [In French.] I,H,F
- Badalova, M.
1971. The use of Diphenyl as a protective agent for treating citrus fruits and its determination. J. Czesk. Hyg. 16(1): 35-38. [In Czech.] F
- Bailey, G. W., A. D. Truston, Jr., J. D. Pope, Jr., and D. R. Cochrane
1970. The degradation kinetics of an ester of Silvex and the persistence of Silvex in water and sediment. Weed Sci. 18: 413-419. H
- Bailey, R. T., and D. Steele
1969. The vibrational spectra of substituted nitrogen heterocyclic systems: III. 1,3,5-trichloro-pyrimidine. Spectrochim. Acta 25A: 219-225. F
- Balba, M. J., M. S. Singer, Michael Slade, and J. E. Casida
1968. Synthesis of possible metabolites of methylcarbamate insecticide chemicals substituted aryl N-hydroxymethylcarbamates. J. Agric. Food Chem. 16: 821-825. I
- Baldwin, M. K., Albert Porter, William P. Hayes, and D. T. Burns
1973. Synthesis and structural studies of 9-anti-hydroxy HEOD. Pestic. Sci. 5: 121-134. I
-
- _____ and J. Robinson
1969. Metabolism in the rat of the photo-isomerization of products of dieldrin. Nature 224(5216): 283-284. I
-
- _____ J. Robinson, and Dennis V. Parke
1970. Metabolism of endrin in the rat. J. Agric. Food Chem. 18: 1117-1123. I

- Ballinger, Jack T., Terry T. Batels, and John H. Taylor
1968. Gas chromatographic fraction trap-infrared cell. J. Gas Chromatogr. 6: 295-297. I
- Baluja, G., S. Castro, J. M. Franco, and M. A. Murado
1972. Results of technical grade malathion analysis performed by colorimetric, IR and gas-liquid chromatography methods. Rev. Agroquim. Teconol. Aliment. 12(4): 577-582. [In Spanish.] I
- Banas, E. M., and R. R. Hopkins
1961. A sealed infrared absorption cell of variable path length. Appl. Spectrosc. 15: 153. IT
- Bann, J. M., T. J. De Cino, N. W. Earle, and Y. P. Sun
1956. The fate of aldrin and dieldrin in the animal body. J. Agric. Food Chem. 4: 937-941. I
- Barabas, S.
1975. Advances in the detection of water pollutants. Can. J. Chem. 27(6): 26-29. I
- Barcelo, Joser
1972. Hydrogen bonding in chloro- and fluoro-acetic-acid spectroscopic study. Ion (Madrid) 32: 461-472. [In Spanish.] I, H, F
- Barker, Roy J.
1960. Synthesis of the aliphatic deuterium analogs of DDT and TDE and their toxicity and degradation when applied to adult house flies. J. Econ. Entomol. 53: 35-41. I
- Baron, R. L., J. A. Sphon, J. T. Chen, and others
1969. Confirmatory isolation and identification of a metabolite of carbaryl in urine and milk. J. Agric. Food Chem. 17: 883-887. I
- Barrette, J. P., and R. Payfer
1961. The determination of rotenone in liquid and aerosol formulations. J. Assoc. Off. Anal. Chemists 44: 581-591. I
-
- and R. Payfer
1962. Determination of 2,4-D and 2,4,5-T as simple constituents and as mixed constituents in commercial ester formulations. J. Assoc. Off. Anal. Chemists 45: 517-522. H

- Bartz, A. M., and H. D. Ruhl
1964. Rapid scanning infrared-gas chromatography instrument. Anal. Chem. 36: 1892-1896. IT
- Barvinok, M. S., Y. S. Varshavskii, and L. K. Potsciko
1961. Infrared spectra of certain aniline compounds of copper. Zh. Neorgan. Khim. 6: 1125-1128. H
- Bates, Angela N.
1960. Analysis of endrin residues in flour by infrared spectroscopy. J. Sci. Food Agric. 11: 750-754. I
- Beckering, Willis, C. M. Frost, and W. W. Fowkes
1964. Infrared examination of carbon-hydrogen stretching frequency in Pyrocatechols, Guaiacols, and phenols. Anal. Chem. 36: 2412-2414. F
- Beckman, R., B. Bruce, and D. MacDougall
1963. Spectrophotometric method. In Analytical methods for pesticides, plant growth regulators, and food additives, G. Zweig (ed.), vol. 1, pp. 149-167. Academic Press, New York. I, H, F, PGR
- Belasco, I. J., and R. W. Reiser
1969. Metabolic fate of siduron in the animal. J. Agric. Food Chem. 17: 1000-1003. H
- Bellamy, L. J.
1958. The infrared spectra of complex molecules. 2d ed., Methuen, London; and Wiley, New York. IT
- _____ and L. Beecher
1952. The infrared spectra of some organophosphorus compounds. II. Esters, acids, and amines. J. Chem. Soc. (London), pp. 1701-1706. I
- _____ and L. Beecher
1952. The infrared spectra of some organophosphorus esters. J. Chem. Soc. (London), pp. 475-483. I
- _____ and L. Beecher
1953. The infrared spectra of organophosphorus compounds. III. Aliphatic acids and compounds related to natural products. J. Chem. Soc. (London), pp. 728-732. I
- Bellannito, Juana, and Antonio Hidalgo
1971. Infrared analysis of essential oils. Sadtler Research Laboratories, Philadelphia, Pa. I, H, F

- Bencze, K.
1975. Effect of insecticides on autoxidation processes. VIII. Carbonyl band of lipids in the infrared range during autoxidation. Z. Anal. Chem. 274(1): 19-22. I
- Benenue, A., M. L. Emuson, L. J. Casarett, and W. L. Youger, Jr.
1968. A sensitive gas chromatographic method for the determination of pentachlorophenol in human blood. J. Chromatogr. 38: 467-472. H
- Benezet, Herman J., and Fumio Matsumura
1974. Factors influencing the metabolism of mexacarbate by micro organisms. J. Agric. Food Chem. 22: 427-430. I,A
- Benson, Walter R.
1971. Photolysis of solid and dissolved dieldrin. J. Agric. Food Chem. 19: 66-72. I
- Bentley, F. F., and N. T. McDevitt
1964. Characteristic group frequencies of bromo and iodo alkanes in the cesium bromide region. Spectrochim. Acta 20: 105-126. I, Fum
- Berg, R. W., and K. Radmusson
1971. Vibrational spectra of ethylenediamine salts. I. Tentative assignment of infrared and far infrared spectra. Spectrosc. Lett. 4(8): 285-293. IT
- Berkeiser, V. E., and J. L. Ahlriche
1976. Ultraviolet and infrared spectral characteristics of chloramben in selected environments. Weed Sci. 24(1): 107-114. H
- Bidleman, T. F., and R. W. Frei
1973. Preparation and infrared spectra of palladium derivatives of some organophosphorus insecticides. Talanta 20(1): 103-113. I
- Binaschi, S., G. Gazzaniga, S. Rizzo, and M. Riva
1972. Integration of infrared spectrography and gas chromatography in a case of intoxication by halogenated hydrocarbon derivatives. Bull. Soc. Ital. Biol. Sper. 45(1): 94-96. [In Italian.] I

Biro, L.

1972. Determination of phthalimide type fungicide residues in wine. Nehezvegyip Kut. Intez. Kozem 4: 123-130. [In Hungarian.]

F

Blake, B. H., D. S. Erley, and F. L. Beman

1964. Sampling technique for obtaining infrared spectra of gas chromatographic fractions. Appl. Spectrosc. 18(4): 114-116.

IT

Blanchard, F. A., W. W. Muelder, and G. M. Smith

1960. Synthesis of carbon-14-labeled Dalapon and trial applications to soybean and corn plants. J. Agric. Food Chem. 8: 124-128.

H

Blinn, Roger C.

1963. Infrared and ultraviolet spectrophotometry in residue evaluation. In Residue reviews, F. A. Gunther (ed.), vol. 5, pp. 130-138. Academic Press, New York.

I

-
1963. Thin-layer chromatographic isolation and infrared or colorimetric identification of thimet residues. J. Assoc. Off. Anal. Chemists 46: 950-960.

I

-
1965. Infrared techniques useful in residue chemistry. J. Assoc. Off. Anal. Chemists 48: 1009-1017.

I

-
1968. The fate of 0,0,0',0'-tetramethyl 0,0'-thiodi-p-phenylene phosphorothioate (Abate) on bean leaves. J. Agric. Food Chem. 16: 441-445.

I

-
1971. Infrared micro-techniques useful for identification of pesticides at the microgram level. In Pesticides identification at the residue level, R. F. Gould (ed.). ACS Adv. Chem. Ser. 104: 81-94.

I

-
1972. New techniques in residue analysis discussion of new infrared micro-techniques. In Pesticide Chemistry Proceedings, Second Congress of Pesticide Chemistry 4(1): 135-156.

I

Blinn, Roger C., R. W. Dorner, J. H. Barkley, and others
1959. Locale of aged Tedion residues on citrus fruit.
J. Econ. Entomol. 52: 723-724.

I,A

_____ and F. A. Gunther
1962-63. The promising utility of infrared assay of
pesticides and their residues. Pestic. Res.
Bull., Stanford Res. Institute, Menlo Park,
Calif. 2(3): 1-8 (1962); 2(4): 3-9 (1962);
and 3(1): 7-11 (1963).

I,H,F,N

_____ and F. A. Gunther
1963. The utilization of infrared and ultraviolet
spectrophotometric procedures for assay of
pesticide residues. In Residue reviews,
F. A. Gunther (ed.), vol. 2, pp. 99-152.
Academic Press, New York.

I

_____ F. A. Gunther, and M. S. Mulla
1960. Infrared determination of aldrin and dieldrin
in aldrin-treated soil. J. Econ. Entomol. 53:
1129-1131.

I

Block, S. S., and J. P. Weidner
1966. Vibrational behavior and structure of disulfide
dioxides (thiolsulfonates). Appl. Spectrosc.
20: 73-79.

I

Blum, M. S., J. R. Walker, and P. S. Cullaham
1958. Chemical, insecticidal, and antibiotic properties
of fire ant venom. Science 128: 306-307.

I

Bobrov, A. V., B. Zhumazhanova, and V. P. Gupta
1973. Infrared spectroscopic study of the structure of
Diphenyl and the Dipyridyls. J. Appl. Spectrosc.
(Russ. Transl.) 18(2): 247-248.

F

Bohn, G., and G. Rucker
1970. The mass spectrometric determination of small amounts
of parathion in corpses after thin-layer chromatographic
determinations. Beit. Gerichtl. Med. 27: 352-355.
[In German.]

I

Bollag, J. M., G. G. Briggs, J. E. Dawson, and Martin Alexander
1968. 2,4-D metabolism: Enzymatic degradation of
Chlorocatechols. J. Agric. Food Chem. 16: 829-833.

F,H

- Bollag, J. M., C. S. Helling, and Martin Alexander
1968. 2,4-D metabolism: Enzymatic degradation of
chlorinated phenols. J. Agric. Food Chem.
16: 826-828. H
- Bolleter, W. T.
1964. The infrared spectra of some chlorinated hydro-
carbons in the cesium bromide region. Appl.
Spectrosc. 18: 72-78. I, Fum
- Bombaugh, Carl, Jr., and W. C. Bull
1961. Assay of barban [4-chloro-2-butylnyl-N-(3-chloro-
phenyl) carbamate]. J. Agric. Food Chem. 9:
386-390. H
- Bontoyan, W. R., and J. B. Looker
1973. Degradation of commercial ethylene bisdithio-
carbamate formulations to ethylenethiourea
under elevated temperature and humidity.
J. Assoc. Off. Anal. Chemists 56: 338-342. F
-
- J. B. Looker, T. E. Kaiser, P. A. Giang, and
B. M. Olive
1972. Survey of ethylenethiourea in commercial
ethylenebisdithiocarbamate formulations.
J. Assoc. Off. Anal. Chemists 55: 923-925. F
- Borka, L.
1974. Polymerphic and solvated forms of Rotenone.
Acta Pharm. Suec. 11(4): 413-416. I
- Borring, Anna-Lise, and Kjeld Rasmussen
1975. Infrared and far infrared spectra of normal,
C-, N- and per-deuterated 1,2-ethylenediamine.
Spectrachim. Acta 31A: 889-894. PGR
- Böttger, G. L., and A. L. Geddes
1965. The infrared spectra of the crystalline tetra-
methylammonium halides. Spectrochim. Acta 21:
1701-1708. I, H, F
- Bottini, Ettore, and Carlo Spetti
1958. Absorption spectra as a modern method of investi-
gating pesticides. Ann. Sper. Agrar. (Rome) 12:
Suppl. 77-110. I, H, F

- Bottini, Ettore, and Carlo Spetti
1958. Spectrometry in research of the adulteration of olive oil. *Ann. Sper. Agrar. (Rome)* 12: 1007-1044. IT
- Bowman, J. S., and J. E. Casida
1957. Metabolism of the systemic insecticide 0,0-diethyl S-ethylthiomethyl phosphorothioate (Thimet) in plants. *J. Agric. Food Chem.* 5: 192-197. I
- Boyle, H. W., R. H. Burtchell, and A. A. Rosen
1966. Infrared identification of chlorinated insecticides in tissues of poisoned fish. In *Organic pesticides in the environment*, R. E. Gould (ed.). ACS Adv. Chem. Ser. 60: 207-218. I
- Bradley, K. B., and W. J. Potts, Jr.
1958. The internally standardized nujol mull as a method of quantitative infrared spectroscopy. *Appl. Spectrosc.* 12: 77-80. IT
- Braid, P. E., and A. L. Le Boeuf
1957. Spectrophotometric determination of trace amounts of lindane in air. *Anal. Chem.* 29: 1625-1627. I
- Brannon, Wilson L.
1970. Comparative study of micro-infrared techniques. *J. Assoc. Off. Anal. Chemists* 53: 599-603. IT
-
1970. Simple micro infrared technique. *Mikrochim. Acta* No. 2, pp. 327-331. IT
- Bree, A., M. Edelson, and R. A. Kydd
1975. The polarized I.R. spectrum of biphenyl and biphenyl-d¹⁰. *Spectrochim. Acta* 31A: 1569-1575. F
- Briggs, L. H., L. D. Colebrook, H. M. Fales, and W. C. Wildman
1957. Infrared absorption spectra of methylenedioxy and aryl ether groups. *Anal. Chem.* 29: 904-916. I, H, F

- Brindley, W. A., and P. A. Dahm
1964. Identification of the in vitro anti-cholinesterase metabolite of methyl parathion. J. Econ. Entomol. 57: 47-49. I
- Brink, George, and John W. Bayles
1974. Infrared studies of solute-solvent interactions: The NH₂ stretching bands of aniline in non-aqueous solvents. Spectrochim. Acta 30A: 835-844. H
- Brinkhoff, H. C., and A. M. Grotens
1971. IR and NMR studies of symmetrically and unsymmetrically bonded N,N-dialkyl dithiocarbamates. Rec. Trav. Chim. 90: 252-257. I
- Broadhurst, Norman A., Marvin L. Montgomery, and Virgil H. Freed
1966. Metabolism of 2-methoxy-2,6-dichlorobenzoic acid (Dicamba) by wheat and blue grass plants. J. Agric. Food Chem. 14: 585-588. H
- Broderick, E. J., J. B. Bourke, L. R. Mattick, and others
1966. Determination of methylcarbamate pesticides in the presence of methyl anthranilate in concord grapes. J. Assoc. Off. Anal. Chemists 49: 982-985. I
- Buchler, W.
1971. Analytical methods for phosphamidon. In Residue reviews, F. A. Gunther (ed.), vol. 37, pp. 15-25. I
- Bunger, William B., and Rex W. Richburg
1957. Infrared determination of dichlorodiphenyl trichloroethane and benzene hexachloride in insecticides. J. Agric. Food Chem. 5: 127-130. I
- Burch, Darrell E., D. A. Gryvnak, and Dudley Williams
1962. Total absorptance of carbon dioxide in the infrared spectrophotometer. Appl. Optics 1: 759-765. I
- Bus, J., and T. J. Liefkens
1970. Collection of microgram gas-liquid chromatography fractions for infrared spectroscopy. Z. Anal. Chem. 250(5): 294-295. IT

- Butz, W. H., and H. J. Noebels
1961. Instrumental methods for the analysis of food additives. Interscience, New York. I
- Carlstrom, A. A.
1971. Collaborative check for paraquat in formulations. J. Assoc. Off. Anal. Chemists 54: 718-719. H
- Carson, D. G., and W. H. Tallent
1970. Gas-liquid chromatographic determination of rotenone and deguelin in extracts of Tephrosia vogelii. J. Chromatogr. Sci. 8(5): 276-278. I
- Carter, T., and H. I. Shalgosky
1968. Potentialities of infrared spectroscopy in determinating traces of carbon or oxygen as carbon dioxide. Talanta 15: 1199-1203. IR
- Casida, J. E., Lydia McBride, and R. P. Niedermeier
1962. Metabolism of 2,2-dichlorovinyl dimethyl phosphate in relation to residues in milk and mammalian tissues. J. Agric. Food Chem. 10: 370-378. I
-
- _____ and D. M. Sanderson
1963. Reaction of certain phosphorothionate insecticides with alcohols and potentiation by breakdown products. J. Agric. Food Chem. 11: 91-96. I
- Castellucci, E., P. Manzelli, B. Fortunato, and others
1975. Vibrational spectra and normal-coordinate treatment of cyclopentadiene and its deuterated derivatives. Spectrochim. Acta 31A: 451-462. I
- Caswell, R. L.
1971. Report on pesticide formulations. J. Assoc. Off. Anal. Chemists 54: 273-275. IT
- Cavagnol, J. C.
1972. Analytical studies of Di-Syston formulations. J. Assoc. Off. Anal. Chemists 55: 918-922. I
- Cave, W. T.
1954. Industrial application of vibrational spectroscopy. Can. J. Chem. 6(4): 33-36. IT

- Cettmann, R., J. L. Closset, A. Copin, and others
1973. Application of spectrometry by total attenuated reflection in the infrared to the study of residues of some phytopharmaceutical products. C. R. Acad. Sci., Ser. D., 277(11): 967-969. [In French.] IT
- Chalmers, A. A., and D. E. McKean
1965. Vibrational assignments from the infrared crystal spectrum of dimethyl ether. Spectrochim. Acta 21: 1387-1389. IT
- Chan, S. H., D. Nelson, M. J. D. Low, and H. Mark
1974. High resolution infrared spectra of air pollutants with Fourier transform spectroscopy. J. Quant. Spectro. Radiative Transfer. 4(4): 287-293. IR
- Chang, Shen-Chan
1961. Chromatographic separation of active components of natural pyrethrins and their characterizations. J. Agric. Food Chem. 9: 390-394. I
- Chang, S. S., K. M. Brobst, C. E. Ireland, and H. Tai
1964. A capillary trap for the collection of gas-chromatographic fractions of infrared spectrophotometry. Appl. Spectrosc. 18: 114-116. IT
- Chasan, David E., and George Norwitz
1970. Infrared determination of inorganic nitrates by the pellet techniques; infrared determination of two inorganic nitrates in the presence of each other. Appl. Spectrosc. 24: 283-289. IT
- Chatt, J., and B. T. Heaton
1967. Assignment of infrared absorption frequencies associated with the P-O-CH₃ group. Spectrochim. Acta 23A: 2220-2221. I
- Chau, A. S. Y.
1970. Chromous chloride reductions. III Identification of products obtained from prolonged contact of chlordene and heptachlor with chlormous chloride solution. Bull. Environ. Contam. Toxicol. 5: 429-434. I

Chau, A. S. Y.

1970. Chromous chloride reductions. IV. Reaction of endrin with chromous chloride reduction.

Bull. Environ. Contam. Toxicol. 5: 435-439.

I

and W. P. Cochrane

1970. Identification of the derivatives employed in the confirmation of dieldrin residues. Bull.

Environ. Contam. Toxicol. 5: 515-520.

I

Chen, Jo-Yun T.

1965. Micro-KBr technique for infrared spectrophotometry.

J. Assoc. Off. Anal. Chemists 48: 380-384.

I

-
1967. Infrared absorption spectra and polymeric structures of three s-triazine herbicides and their metabolites. J. Assoc. Off. Anal. Chemists 50: 595-600.

H

-
1973. Infrared studies of chlorinated debenzo-p-dioxins and structurally related compounds. J. Assoc. Off. Anal. Chemists 56: 964-975.

H

and Walter R. Benson

1966. Characteristic infrared absorption spectra and frequencies of carbamate pesticides. J. Assoc.

Off. Anal. Chemists 49: 412-452.

I,H

and Roland W. Dority

1967. Infrared spectra of carbophenothion (Trithion) and some of its possible metabolic products.

J. Assoc. Off. Anal. Chemists 50: 426-430.

I

and Roland W. Dority

1970. Contamination control in infrared micro-analysis.

J. Assoc. Off. Anal. Chemists 53: 978-987.

IT

and Roland W. Dority

1972. Infrared studies of DDT structurally halogenated pesticides and some metabolites. J. Assoc. Off.

Anal. Chemists 55: 15-31.

I

and J. H. Gould

1968. Micro silver chloride technique for infrared spectrophotometry. Appl. Spectrosc. 22: 5-7.

I,IT

- Chen, Jo-Yun T., and John H. Gould
1968. Infrared studies of ethylene chlorohydrin.
J. Assoc. Off. Anal. Chemists 51: 878-882. N, Fum
-
- Nancy C. Oates, and David Firestone
1970. 3,5-Dialkyl phenols and their allyl substitution products: Infrared absorption spectra and interpretation of characteristic frequency shifts. J. Assoc. Off. Anal. Chemists 53: 275-287. H
- Chen, Y. S.
1959. Microdetermination of parathion, and related compounds. Bull. Assoc. Agric. Chem., Natl. Taiwan Univ. 8: 21-24. I
- Chenung, Max W., and James W. Bigger
1974. Solubility and molecular structure of 4-amino-3,5,6-trichloropicolinic acid in relation to pH and temperature. J. Agric. Food Chem. 22: 202-206. H
- Chittenden, Rosemary A., and L. C. Thomas
1965. Characteristic infrared absorption frequencies of organophosphorus compounds. II. P-O-(X) bonds. Spectrochim. Acta 21: 861-876. IT
-
- and L. C. Thomas
1966. Characteristic infrared absorption frequencies of organophosphorus compounds. VI. Bonds between phosphorus and nitrogen. Spectrochim. Acta 22: 1449-1463. I
- Chopra, N. M., and N. B. Osborne
1971. Systemic studies on the breakdown of p,p'-DDT in tobacco smokes. II. Isolation and identification of degradation products from the pyrolysis of p,p'-DDT in nitrogen atmosphere. Anal. Chem. 43: 849-853. I
- Chopra, S. L., and C. L. Arora
1974. Infrared spectra of the complexes of malaoxon with some anhydrous metal chlorides. Pestic Sci. 5: 271-274. I
- Clark, W. H.
1959. Infrared analysis of the isomers of N,N-diethyl-toluamide. Anal. Chem. 31: 197-199. IR

- Clark, W. H.
1962. Infrared analysis of insecticides to determine toxaphene alone or in the presence of dichlorodiphenyl trichloroethane (DDT). J. Agric. Food Chem. 10: 214-216. I
- Clemons, G. P., and R. E. Menzer
1968. Oxidative metabolism of phosphamidon in rats and a goat. J. Agric. Food Chem. 16: 312-318. I
- Cleverley, Barry
1961. The estimation of mixtures of DDT and BHC isomers using infrared differential mull analysis. Anal. Chem. 33: 1621-1623. I
- Coblentz Society Board of Managers
1966. Specifications for evaluation of infrared reference spectra. Anal. Chem. 38(9): 27A-38A. IT
- Cochrane, W. P., and A. S. Y. Chau
1970. Use of chromous chloride for the confirmation of heptochlor residue by derivation. Bull. Environ. Contam. Toxicol. 5: 251-254. I
- Cogrossi, C.
1966. Near infrared spectra of heterocyclic derivatives of pyrazoline-5-one. Spectrochim. Acta 22: 1385-1388. I
- Coleman, I., and M. J. D. Low
1966. Infrared emission spectra of quantities of pesticides in the microgram range. Spectrochim. Acta 22: 1293-1298. IT
- Colette, Maurice
1974. Infrared spectral study of organic nitro compounds. Ann. Sci., Univ. Besancon. Besancon. Chim. No. 9, pp. 3-74. I,H,F
- Collective Pesticides Analysis Committee
1962. Pesticide analysis by infrared spectrophotometry. FAO Plant Prot. Bull. 10: 1-6. I
- Collier, G. L., and F. Singleton
1956. Infrared analysis by the derivative method. J. Appl. Chem. 6: 494-510. IT

- Comberiati, J. R.
1971. Application of rapid infrared spectrometry to air pollution research. Anal. Chem. 43: 1497-1499. IR
- Cook, J. W.
1954. Paper chromatography of some organic phosphate insecticides. III. Effects of light on Systox and iso-Systox. J. Assoc. Off. Anal. Chemists 37: 989-996. I
- Cookley, M. P.
1968. Study of N-H frequencies in some metal-halide chelates of O-phenylenediamine. Appl. Spectrosc. 22: 310-312. F
- Copier, H., and J. H. Van der Maas
1967. Micro-infrared spectrometry of gas chromatographic fractions. Spectrochim. Acta 23A: 2699-2700. I
- Copin, A., R. Kettmann, J. L. Closset, and others
1973. Application of infrared total attenuated reflectance spectrometry to the study of pesticide residues. Bull. Rech. Agron. Gembloux 8(2): 135-146. [In French.] H
-
- P. H. Martens, R. Kettmann, and others
1974. Application of infrared total attenuated reflectance spectrometry to the detection of herbicide (propham and chlorpropham) residues on potato tubers. Anal. Chim. Acta 74: 437-440. [In French.] I, H
- Corbridge, D. E. C.
1956. Infrared analysis of phosphorus compounds. J. Appl. Chem. 6: 456-465. I
-
- and E. J. Lowe
1955. Quantitative infrared analysis of condensed phosphates. Anal. Chem. 27: 1383-1387. I
- Cordes, Marcia, and J. L. Walter
1968. Infrared and Raman spectra of heterocyclic compounds. The infrared studies and normal vibrations of imidazole. Spectrochim. Acta 24A: 237-252. S

- Cox, B. W., M. A. Keenan, R. D. Topson, and G. W. Wright
1965. The infrared spectra of naphthalene derivatives
in the 2000-1650 cm^{-1} region. I. Monosubstituted
naphthalene. *Spectrochim. Acta* 21: 1663-1667. Fum, PGR
- Crombie, L.
1952. Amides of vegetable origin. Part I. Stereo-
isomeric N-isobutylundeca-1,7-dienecarboxy-
amides and the structure of Herculin. *J. Chem.*
Soc. (London), pp. 2997-3008. I
-
1952. Amides of vegetable origin. Part II. Stereo-
isomeric N-isobutyl nona-1,5-diene-1-car-
boxyamides and the structure of Pellitorine.
J. Chem. Soc. (London), pp. 4338-4346. I
-
1955. Amides of vegetable origin. Part IV. The nature
of Pellitorine and Anacyclin. *J. Chem. Soc.*
(London), pp. 999-1006. I
-
1955. Amides of vegetable origin. Part V. Stereo-
chemistry of conjugated dienes. *J. Chem. Soc.*
(London), pp. 1007-1025. I
-
- S. H. Harper, R. E. Stedman, and D. Thompson
1951. Experiments on the synthesis of pyrethrins.
Part VI. New synthesis of cinirolones. *J. Chem.*
Soc. (London), pp. 2445-2449. I
-
- S. H. Harper, and D. Thompson
1951. Experiments on the synthesis of the pyrethrins.
Part VII. Synthesis of trans-pyrethrone, and
a pyrethrin-1. *J. Chem. Soc. (London)*, pp. 2906-
2915. I
- Crosby, Donald
1964. Metabolites of 2,4-dichlorophenoxyacetic acid
(2,4-D) in bean plants. *J. Agric. Food Chem.*
12: 3-6. H
- Crosby, N. T., and E. Q. Laws
1964. The use of infrared spectroscopy in the analysis
of pesticide residues. *Analyst* 89: 319-327. I

- Crosby, N. T., and Helmut O. Tutass
1966. Photodecomposition of 2,4-dichlorophenoxyacetic acid. J. Agric. Food Chem. 14: 596-599. H
- Cross, A. D.
1964. An introduction to practical infrared spectroscopy. Butterworth & Co. (Publishers), Ltd., London. 86 pp. IT
- Cupples, H. L.
1949. Infrared absorption spectrum of separation of gamma-benzene hexachloroxide. Anal. Chem. 21: 630. I
-
1950. Infrared spectra of cinerolone and synthetic 2-(trans-2-butenyl)-4-hydroxy-3-methyl-2-cyclopentene-1-one. J. Am. Chem. Soc. 72: 4522-4523. I
-
1950. Infrared spectral data: 2-(trans-2-butenyl)-4-hydroxy-3-methyl-2-cyclopentene-1-one (liquid). Catalog of Infrared Spectrograms. American Petroleum Institute Research Project 44 of the National Bureau of Standards, Serial No. 976. I
-
1952. Infrared analysis of rotenone-dihydrorotenone mixtures. Anal. Chem. 24: 1657. I
-
1959. Base-line and maximum value method in infrared quantitative analysis. Anal. Chem. 31: 967-968. I
- Curley, A., R. W. Jennings, H. T. Mann, and V. Sedlak
1970. Measurement of endrin following epidemics of poisoning. Bull. Environ. Contam. Toxicol. 5: 24-29. I
- Curry, A. S., J. F. Read, C. Brown, and R. W. Jenkins
1968. Micro-infrared spectroscopy of gas chromatographic fractions. J. Chromatogr. 38: 200-208. IT
- Czech, Fred P.
1964. Analysis of insecticides in aqueous emulsions used in livestock dips and sprays. J. Assoc. Off. Anal. Chemists 47: 829-837. I

Czech, Fred P.

1964. Rapid infrared method for toxaphene in animal dips and sprays. J. Assoc. Off. Anal. Chemists 47: 591-594.

I

Marvin D. Mack, and George Evans

1969. Infrared, ultraviolet and visible spectrophotometric determination of Imidan in animal dips and sprays. J. Assoc. Off. Anal. Chemists 52: 1017-1026.

I

Daasch, L. W.

1947. Infrared spectroscopic analysis of five isomers of 1,2,3,4,5,6-hexachlorocyclohexane. Anal. Chem. 19: 779-785.

I

and D. C. Smith

1951. Infrared spectra of phosphorus compounds. Anal. Chem. 23: 853-868.

I

Dale, W. E., and James W. Miles

1969. Gas chromatographic determination of Abate using flame photometric and electro-capture detectors. J. Agric. Food Chem. 17: 60-62.

I

Damico, Joseph N., Jo-Yun T. Chen, Catherin E. Costella, and Edward O. Haenni

1968. Structure of Klein's metabolites of aldrin and dieldrin. J. Assoc. Off. Anal. Chemists 51: 48-55.

I

Datta, Padma R., and Maxie Jo Nelson

1970. p,p'-DDT detoxication by isolated perfused rat liver and kidney. Ind. Med. Surg. 39(4): 195-198.

I

Daunt, S. J., H. F. Shurwell, and L. Pazdernik

1975. The solid state vibrational spectra of s-triazine and s-triazine-d₃ and the monoclinic to rhombohedral phase transition. J. Raman Spectrosc. 4: 205-223.

H

Dauterman, W. C., J. E. Casida, J. B. Kneck, and T. Knowalezky

1959. Bovine metabolism of organo-phosphorus insecticides. Metabolism and residues associated with oral administration of dimethoate to rats and three lactating cows. J. Agric. Food Chem. 7: 188-193.

I

- David, D. J.
1963. A study of the near-infrared spectra of some aliphatic and aromatic isocyanates. Anal. Chem. 35: 37-44. I,F
- Day, E. W., Jr., O. D. Decker, J. R. Koons, and F. J. Holzer
1970. Analytical methods for the fungicide α,α -bis (p-chlorophenyl)-3-pyridinemethanol. J. Assoc. Off. Anal. Chemists 53: 747-755. F
- Deady, L. W., P. M. Harrison, and R. D. Topson
1975. Infrared spectroscopy as a measure of proximity effects--ortho-substituted benzonitrile and alpha-substituted ortho-toluenitriles. Spectrochim. Acta 31A: 1665-1670. I,F
- Degen, I. A.
1968. Detection of the methoxyl group by infrared spectroscopy. Appl. Spectrosc. 22: 164-166. IT
-
1969. The detection of the N-methyl group by infrared spectroscopy. Appl. Spectrosc. 23: 239-241. IT
- Dejonckheere, Willy P., and Rene H. Kips
1974. Photodecomposition of methidation. J. Agric. Food Chem. 22: 959-968. I,A
- DeKlein, W. J.
1969. Infrared-spectroscopic identification of compounds separated by gas-liquid chromatography. Z. Anal. Chem. 246: 294-297. I,Fum
- Dementjeva, L. A., A. V. Iogensen, and G. A. Kurkchi
1970. Proof of the Fermi resonance nature of the infrared band. Structure of the stretching vibrations of hydrogen bonded NH- and ND-groups. Optics Spectrosc. 29: 461-465. IT
- Dempster, A. B., K. Price, and N. Sheppard
1969. Infrared and nuclear magnetic resonance studies of rotational isomerism in chlorinated propanes: Interactions of carbon-chlorine bonds. Spectrochim. Acta 25A: 1181-1192. F,N

- Derkosch, J., H. Jansch, R. Leutner, and F. X. Mayer
1954. Identification of insecticide E-605.
Monatsh. Chem. 85: 685-692. [In German.] I
-
- _____ and F. X. Mayer
1955. Detection and identification of the insecticide
E-605 in forensic chemistry. Mikrochim. Acta,
pp. 495-504. [In German.] I
-
- _____ and Inge Specht
1962. The infrared spectroscopic determination of
substitution type in the thio-naphthenes.
Mikrochim. Acta, pp. 55-63. [In German.] I
- De Roose, A. M., and H. J. Toet
1958. The preparation of some dialkyl p-nitrophenyl
phosphates. Rec. Trav. Chim. 77: 946-955. I
-
- _____ and H. J. Toet
1959. The preparation of some p-nitrophenyl
dialkylphosphinates. Rec. Trav. Chim. 78: 271-274. I
- Desseyn, H. O., and M. A. Herman
1967. The characteristic infrared bands of primary
and secondary thioamides. Spectrochim. Acta
23A: 2457-2483. I,H,F
- Diephuis, F., and C. L. Dunn
1949. Toxaphene in tissues of cattle and sheep fed
toxaphene-treated alfalfa. Mont. State Coll.
Agric. Exp. Stn. Bull. 461, 22 pp. I
- Dingle, J. H. P.
1965. A rapid method for separating and determining
DDT in fat. Analyst 90: 638. I
- Diveley, W. R., A. H. Haubein, A. D. Lohr, and P. B. Moseley
1959. Two organo-phosphorus derivatives of p-dioxane
with insecticidal and acaricidal activity.
J. Am. Chem. Soc. 81: 139-144. I,A
- Doering, G., and W. Doering
1966. The infrared spectroscopic detection of plant
protective agents from organic material. Deut.
Z. Ges. Gerichtl. Med. 57: 341-352. [In German.] I,H

- Dorough, H. W., and J. E. Casida
1964. Nature of certain carbamate metabolites of the insecticide Sevin. J. Agric. Food Chem. 12: 294-304. I
- Dorris, Kenneth L.
1970. Infrared analysis of ethylene sulfite and sym-dimethylethylene sulfite. Appl. Spectrosc. 24: 492-495. I,F
- Double, R. C.
1964. Chromatographic separation of malathion prior to infrared spectrophotometric estimation. J. Assoc. Off. Anal. Chemists 47: 693-695. I
-
1960. Infrared determination of dithianon. J. Assoc. Off. Anal. Chemists 52: 659-662. F
- Douthit, Robert A., Kenneth J. Garska, and Victor A. Yarborough
1963. Characterization of hydroxyl compounds: Identification of their 3,5-dinitro-esters by infrared spectroscopy. Appl. Spectrosc. 17: 85-89. IT
- Downing, J. R., W. V. Freed, I. R. Walker, and G. D. Patterson
1946. Application of infrared spectroscopy to the determination of DDT. Ind. Eng. Chem., Anal. Ed. 18: 461-467. I
- Drayton, L. Grimke, and H. W. Thompson
1948. The infrared spectrum of keten. J. Chem. Soc. (London), pp. 1416-1419. IT
- Drexler, Sam
1958. Determination of naphthalene in cracked 1-methyl-naphthalene. Anal. Chem. 30: 549. I,F,PGR
- Durden, J. A., Jr., W. J. Bartley, and J. F. Stephene
1970. The preparation of standards for aldicarb (Temik) metabolism study. J. Agric. Food Chem. 18: 454-458. I
- Durig, James R., F. Block, and I. W. Levin
1965. Vibrational spectra of CH_3POCl_2 and CH_3PSCl_2 . Spectrochim. Acta 21: 1105-1115. I

- Durig, James R., C. F. Jumper, and J. N. Willis, Jr.
1971. Low frequency vibrations of molecular crystals.
XIII. CH_3AsCl_2 , CH_3AsBr_2 , and CH_3AsI_2 .
Appl. Spectrosc. 25: 218-220. H,R
- Duvenci, J.
1972. Infrared spectrophotometric determination of
2-chloro-2,6-dimethyl-N(methoxymethyl)
acetanilide. The active ingredient of Lasso-E.C. --
weed killer. J. Bitki Koruma Bull. 12(3): 153-159.
[In Turkish.] H
- Duyckaerts, G.
1959. The infrared analysis of solid substances, a review.
Analyst 84: 201-214. H,F
- Dwivedi, P. C., K. Gurudath Rao, S. N. Bhat, and C. N. R. Rao
1975. Spectroscopic studies of electron donor properties
and radical cations of phenothiazine derivatives.
Spectrochim. Acta 31A: 129-136. I
- Dyall, L. K.
1969. Solvent effects on the infrared spectra of anilines.
VI. Orthosubstituted anilines. Spectrochim. Acta 25:
1727-1741. H
-
1969. Solvent effects on the infrared spectra of anilines
and substituted anilines. Spectrochim. Acta 25:
1423-1435. H
-
1970. Solvent effects on the infrared spectra of anilines.
VII. 2-substituted 4-nitro-anilines. Aust. J. Chem.
23: 947-955. H
-
1971. Carbon-oxygen stretching vibration in cyclohexanols.
Aust. J. Chem. 24: 1715-1719. IT
-
- and R. G. Moore
1968. Shortcomings in the infrared spectroscopic method
of conformation of analysis of cyclohexanols.
Aust. J. Chem. 21: 2509-2513. I

Elliott, M.

1951. Insecticidal activity of the pyrethrin and related compounds. A review. *Pyrethrum Post* 2(3): 18-28. I

1954. Allethrin - A review. *J. Sci. Food Agric.* 5: 505-514. I

1961. Pyrethrine and related compounds. II. Infrared spectra of the pyrethrins and of other constituents of pyrethrum extract. *J. Appl. Chem. (London)* 11: 19-23. I

P. H. Needham, and C. Potter

1950. Insecticidal activity of substances related to the pyrethrine. I. Toxicities of two synthetic pyrethrin-like esters related to that of the natural pyrethrins and the significance of the results in the bioassay of closely related compounds. *Ann. Appl. Biol.* 37: 490-507. I

J. S. Olejniczak, and J. J. Garner

1959. Laboratory scale molecular distillation of the pyrethrine. *Pyrethrum Post* 5(2): 8-18. I

Fahmy, Mohamed A. H., R. L. Metcalf, T. R. Fukuto, and J. Hennessy

1966. Effects of deuteration, fluorination and other structural modifications of the carbomayl moiety upon the anticholinestase and insecticidal activities of phenyl N-methylcarbamates. *J. Agric. Food Chem.* 14: 79-82. I

Falk, Michael

1966. Infrared spectrum and structure of liquid water. *Can. J. Chem.* 44: 699-707. IT

and Paul A. Giguere

1958. The infrared spectra of organo-phosphorus compounds. II. The 1.0 to 2.6 micron region. *Can. J. Chem.* 36: 801-809. I

- Falk, Michael, and P. A. Giguere
1958. On the nature of sulphurous acid. Can. J. Chem.
36: 1121-1125. I, H, F
- Farmer, V. C.
1974. The infrared spectra of minerals. Mineralog. Soc.
Monogr. No. 4, pp. X and 539. IT
- Fazzari, F. Raymond, Margaret F. Sharkey, Charlotte A. Yaciw,
and Wilson L. Brannon
1968. Infrared and ultraviolet spectra of some
pharmaceutical compounds. J. Assoc. Off. Anal.
Chemists 51: 1154-1162. I, F
- Feil, Vernon J., Carole-Jean Lamoureux, Elizabeth
Styrvoky, and others
1973. Metabolism of o,p'-DDT in rats. J. Agric. Food Chem.
21: 1072-1078. I
- ____ Carole-Jean Lamoureux, and Richard G. Zaylskie
1975. Metabolism of o,o'-DDT in chickens. J. Agric. Food
Chem. 23: 382-388. I
- Ferguson, C. E., Jr., L. N. Gard, R. H. Shupe, and
K. S. Dress
1963. Infrared analysis for residues of isopropyl
N-(3-chlorophenyl) carbamate (CIPC) in white
potatoes. J. Agric. Food Chem. 11: 428-431. H
- Ferhat, S., and M. M. H. Baig
1974. Infrared spectrophotometric method of analysis of
phosalone and the DDT mixture. Proc. Pak. Sci.
Conf. 25(3): 1-56. I
- Ferraro, John R.
1963. Solvent effects on the infrared spectra of
organophosphorus compounds. Appl. Spectrosc. 17:
12-14. I
- ____ and C. M. Andrejasich
1964. Comparison of infrared spectra of organophosphorus
acids and their sodium salts. J. Inorg. Nucl. Chem.
26: 377-378. IT

Ferraro, John R., and D. F. Peppard

1963. Structural aspects of organophosphorus extractants and their metallic complexes as deduced from spectral and molecular weight studies. Nucl. Sci. Eng. 10: 389-400.

I

D. F. Peppard, and G. W. Mason

1963. The infrared spectra of organophosphorus compounds in the CsBr region. Spectrochim. Acta 19: 811-817.

I

Feuell, A. J., and H. H. Povlsen

1970. Infrared method for the determination of pesticides. In CIPAC handbook: Analysis of technical and formulated pesticides, G. R. Raw (ed.), vol. 1, pp. 722-733. Collaborative International Pesticides Analytical Council Limited, W. Heffer and Sons Ltd., Cambridge, England.

I, H, F, N

Firestone, E., and P. J. Vollmer

1956. Infrared determination of tetramethylthiuram disulfide in commercial dithiocarbamate formulations by the potassium bromide disk technique. J. Assoc. Off. Anal. Chemists 39: 866-872.

F

Fischer, Walther, and Winfried Ebing

1961. Infrared spectrometric determination of insecticide mixtures, especially lindane, endrin, dieldrin and p,p'-DDT. Z. Anal. Chem. 184: 259-272. [In German.]

I

and Winfried Ebing

1962. Die infrarotspektrometrische Bestimmung von Insecticide-Gemischen in flussigen Zubereitungen. Z. Anal. Chem. 188: 178-183. [In German.]

I

and U. Ulrich

1960. Detection of plant pesticides in mixtures by infrared spectrometry. Z. Anal. Chem. 172: 175-192. [In German.]

I

- Fischer, Walther, and U. Ulrich
1961. Infrared spectroscopic determination of malathion residues on kohlrabi, cauliflower and lettuce. Nachrichtenbl. Deut. Pflanzenschutzdienst (Brunswick) 13: 28-30. I
- Fisher, E., H. Spatz, R. S. Fernandez-Ladricla, and others
1973. Quantitative gas-chromatographic determination and infrared spectrographic identification of urinary phenethylamine. Biol. Psychiatry 6(2): 161-165. IT
- Flann, B. C., and J. A. R. Cloutier
1967. Physico-chemical characterization of some 5,5-disubstituted-1,3-dioxanthyl barbituric acids. Appl. Spectrosc. 21: 225-231. I
- Flett, M. St. C.
1948. The application of infrared spectroscopy to the structural problems in the anthraquinone field. J. Chem. Soc. (London), pp. 1443-1448. R
- Focht, Dennis D., and Martin Alexander
1971. Aerobic co-metabolism of DDT analogues by Hydrogenomonas sp. J. Agric. Food Chem. 19: 20-22. I
- Foglizzo, R., and A. Novak
1970. Infrared and Raman spectra of pyrazinium halides. Appl. Spectrosc. 24: 601-605. I,H
- Foley, H. M., and H. M. Randall
1941. Fine structure in the far infrared spectrum of ammonia. Phys. Rev. 59: 171-173. IR
- Food and Agriculture Organization of the United Nations
1962. The determination of MCP contents of herbicides by an infrared spectrophotometry. FAO Plant Prot. Bull. 10(1): 17-20. H
- Forman, Sylvan E., Bernard L. Gilbert, Grannis S. Clifford, and others
1960. Isotope-labeled insecticide: Thiodan-5a, 92-C¹⁴. J. Agric. Food Chem. 9: 193-196. I
- Frasco, D. L., and E. L. Wagner
1959. Interpretation of the infrared spectra of the solid hydroxylammonium halides. J. Chem. Phys. 30: 1124-1130. I

- Fredrick, J. F., and A. C. Gentile
1961. The structure of the d-glucose adduct of 3-amino-1,2,4-triazole infrared absorption studies. Arch. Biochem. Biophys. 92: 356-359. H
- Freedman, A. N., and B. P. Straughan
1971. Vibrational spectra and structures of some thiosulphate complexes. Spectrochim. Acta 27A: 1455-1465. F
- Freeman, S. K.
1955. Infrared spectrophotometric determination of allethrin. Anal. Chem. 27: 1268-1274. I
-
1956. Stability of allethrin against pyrethrins. Soap Chem. Spec. 32(2): 131, 133; 32(3): 150, 153, 166, 170, 173, and 197. I
- Frehse, H.
1963. Infrared methods of residue analysis. Pflanzenschutz-Nachr. (Bayer) 16: 182-204. I
- Friedman, H. M.
1970. Infrared spectra of the monobutyl naphthalenes. Appl. Spectrosc. 24: 44-49. IT
- Fukuto, T. R., F. P. Wolf, R. L. Metcalf, and R. B. March
1956. Identification of the sulfoxide and sulfone plant metabolites of the thiol isomer of Systox. J. Econ. Entomol. 49: 147-151. I
-
- F. P. Wolf, R. L. Metcalf, and R. B. March
1957. Identification of the sulfone plant metabolites of the thiono isomer of Systox. J. Econ. Entomol. 50: 399-401. I
- Gallus-Glender, J., and B. Branc
1976. Identification of oxidation and decomposition products of phosphorus trichloride by infrared spectroscopy. Spectrosc. Lett. 8(8): 551-560. I

- Gannon, N., and G. C. Decker
1958. The conversion of aldrin to dieldrin on plants.
J. Econ. Entomol. 51: 8-11. I
- Gardiner, John A., Richard K. Brantley, and Henry Sherman
1968. Isolation and identification of a metabolite
of methyl 1-(butylcarbamoyl) 2-benzimidazol
carbamate in rat urine. J. Agric. Food Chem.
16: 1050-1052. F
- ____ R. W. Reiser, and Henry Sherman
1969. Identification of the metabolites of bromacil
in rat urine. J. Agric. Food Chem. 17: 967-975. H
- Gardner, A. M., J. T. Chen, J. A. G. Roach, and
E. P. Ragelese
1975. Polychlorinated biphenyls: Hydroxylated
urinary metabolites of 2,5,2',5'-
tetrachlorobiphenyl identified in rabbits.
Biochem. Biophys. Res. Commun. 55(4): 1377-1384. F
- ____ J. N. Damico, F. A. Hansen, and others
1969. Previously unreported homolog of malathion
found as residue on crops. J. Agric. Food
Chem. 17: 1181-1185. I
- Garhart, M. D., F. J. Witmer, and Y. A. Tajima
1952. Microdetermination of aldrin and dieldrin
by infrared spectroscopy. Anal. Chem. 24:
851-857. I
- Garner, Harry R., and Herbert Packer
1968. New technique for the preparation of KBr pellets
from microsamples. Appl. Spectrosc. 22: 122-123. IT
- Garty, O. M.
1972. Improved test for PCBs. Mod. Packag. 45(4):
46-55. F
- Gates, P. N., K. Radcliffe, and D. Steele
1969. The vibrational spectra of mono- and para-
disubstituted halogen benzenes. Spectrochim.
Acta 25A: 500-516. IR

- Gatterdam, P. O., J. E. Casida, and D. W. Stoutamire
1959. Relation of structure to stability, anti-
esterase activity and toxicity with sub-
stituted vinyl phosphate insecticides.
J. Econ. Entomol. 52: 270-275. I
-
- R. K. De, F. E. Guthrie, and T. G. Bowery
1964. The absorption metabolism, and excretion of
C¹⁴-labeled TDE in certain insects. J. Econ.
Entomol. 57: 258-264. I
-
- L. A. Woznick, M. W. Bullock, and others
1967. Absorption, metabolism, and excretion of tritium-
labeled Famphur in the sheep and calf. J. Agric.
Food Chem. 15: 845-853. I
- Genest, Klaus, and Charles G. Farmilo
1962. Simultaneous determination of morphine,
codeine, and porphyroxine in opium by
infrared and visible spectrometry. Anal.
Chem. 34: 1464-1468. IT
- George, D. A., and L. M. McDonough
1975. Micro-determination of bioethanomethrin.
J. Assoc. Off. Anal. Chemists 58: 781-789. IT
- Gersdorff, W. A., S. K. Freeman, and D. G. Piquett
1959. Some Barthrin isomers and their toxicity to
houseflies in space sprays. J. Agric. Food
Chem. 7: 548-550. I
- Gershman, L. I.
1961. An infrared method for the determination of
endrin residues. J. Assoc. Off. Anal. Chemists
44: 212-214. I
- Giang, Paul A.
1972. Sandwich KBr disk for scanning volatile pesticides.
Anal. Chem. 44: 1340-1342. I
-
1974. Infrared spectra of known pesticides.
In Manual of chemical methods for pesticides
and devices, Warren R. Bontoyan (ed.), Section
III, 222 pp. Technical Service Division, Environ-
mental Protection Agency. I, H, F, R
PGR

- Giang, Paul A., and M. S. Schechter
1966. Determination of demeton residues by infrared spectrophotometry. J. Agric. Food Chem. 14: 380-383. I
- Giguere, Paul A., and M. Falk
1956. 'Infrared spectrum of solid sulfure dioxide. Can. J. Chem. 34: 1833-1835. IR
- Gillam, A. E., and T. F. West
1942. Absorption spectra and the structures of pyrethrins I and II. J. Chem. Soc. (London), pp. 671-676. I
- Ginsburg, Leonard, and Nelvin Goodman
1961. Infrared spectrophotometric determination of nitrobenzene and its chloro-derivatives in mixtures. Anal. Chem. 33: 1071-1074. IT
- Giuffride, Laura
1965. Isolation of micro-quantities of pesticides by gas chromatography for infrared analysis. J. Assoc. Off. Anal. Chemists 48: 354-357. I
- Glastonbury, H. A., and Margaret D. Stevenson
1959. The micro-estimation of γ -(4-chloro-2-methylphenoxy)butyric acid, γ -(2,4-dichlorophenoxy)butyric acid, and n-butyl γ -(2,4-dichlorophenoxy) butyrate in plant material. J. Sci. Food Agric. 10: 379-385. H
- Glennie-Holmes, Malcolm
1974. The rapid determination of atrazine residues in soil using infrared spectrophotometry. Pestic. Sci. 5: 251-254. H
- Goetz, H., and S. Domin
1969. Molecular spectra of halogeno-alkanes in far infrared. Anal. Chem. 246: 302-309. [In German.] Fum
- Goldberg, M. C., R. L. Wershaw, Harry Babad, and H. W. Mueller
1969. Spectral characteristics of polydeuterated toluenes. Appl. Spectrosc. 23: 2402-2404. I,H
- Goldstein M.
1966. The vibrational spectra of mercurous halides. Spectrochim. Acta 22: 1389-1390. I

- Goma, H. M., I. H. Suffet, and S. D. Faust
1969. Kinetics of hydrolysis of diazinon and diazoxon. In Residue reviews, F. A. Gunther (ed.), vol 29, pp. 171-190. Academic Press, New York. I,R,N
- Gore, R. C., Robert W. Hannah, S. C. Pattacini, and Thomas J. Porro
1971. Infrared and ultraviolet spectra of seventy-six pesticides. J. Assoc. Off. Anal. Chemists 54: 1040-1082. I,H,F,N,R
- Goto, Sinko, and Rokuro Sato
1963. Routine methods of quantitative infrared analysis of aldrin, tedion, hiptachlor, dibrom and DEP. Jpn. Anal. 12: 238-240. I,H,IR
- Goulden, J. D. S.
1959. Infrared spectra of aqueous solutions. Spectrochim. Acta 10: 657-661. IT
-
1961. Quantitative analysis of milk and other emulsions by infrared absorption. Nature 191: 905-906. IT
-
- and D. J. Manning
1964. Infrared spectra of aqueous solutions by the attenuated total reflectance technique. Nature 203: 403. IT
-
- and D. J. Manning
1967. Infrared spectroscopy of inorganic materials in aqueous solution. Spectrochim. Acta 23A: 2249-2254. I,F,Fum
-
- and D. J. Manning
1970. The determination of water in methanol by near-infrared absorption. Analyst 95: 308-311. IT
- Goza, S. W.
1972. Infrared analysis of pesticide formulations. J. Assoc. Off. Anal. Chemists 55: 913-914. I,H,F,R
- Graham, R. E., K. Ray Burson, C. F. Hammer, and others
1973. Photochemical decomposition of heptachlor epoxide. J. Agric. Food Chem. 21: 824-834. I

Graham, R. E., and Charles T. Kenner

1969. Detection and measurement of decomposition in endrin standards. J. Agric. Food Chem. 17: 259-263.

I,R

Green, J. H. S.

1968. Vibrational spectra of benzene derivatives. IV. Methylphenyl sulphide, diphenyl sulphide, diphenyl disulphide, and diphenyl sulphoxide. Spectrochim. Acta 24A: 1599-1603.

I,A

D. J. Harrison, and W. Kynaston

1971. Vibrational spectra of benzene derivatives. XIV. Monosubstituted phenols. Spectrochim. Acta 27A: 2199-2217.

I,H,F

Green, Nathan

1958. Synthesis of carboxy-labeled C¹⁴ N,N-diethyl-m-toluamide, an insect repellent. J. Econ. Entomol. 51: 707-710.

IR

Guedin, R. M., M. C. Harrey, and R. C. Wilkinson

1958. Analysis of isobutane, n-butane, isopentane, and n-pentane. Anal. Chem. 30: 454.

I,Fum

Gunther, F. A., R. C. Blinn, and J. H. Barkley

1959. Infrared procedure for quantitative determination of residues of 2,4,4',5-tetrachlorodiphenyl sulfone (Tedion) on and in citrus fruit peel. J. Agric. Food Chem. 7: 104-105.

I,A

R. C. Blinn, and M. M. Barnes

1957. Infrared determination of p-chlorobenzyl p-chlorophenyl sulfide and its oxidation to its sulfone on pears. J. Agric. Food Chem. 5: 198-201.

I,IR

R. C. Blinn, and M. M. Barnes

1967. Dimethyl sulfide as a volatile constituent of a corn protein hydrolysate attractive to fruit flies. Bull. Environ. Contam. Toxicol. 2: 121-125.

IR

R. C. Blinn, E. Benzamini, and others

1959. Magnitudes and natures of nicotine residues on and in field-treated Texas mustard greens. J. Agric. Food Chem. 7: 330-335.

I

- Gunther, F. A., R. C. Blinn, and G. W. Carman
1962. Residues of ethion on and in lemons and oranges as determined by an infrared spectrophotometric procedure. J. Agric. Food Chem. 10: 224-226. I,A
- Gushman, Louis L.
1961. Infrared determination of endrin residues. J. Assoc. Off. Anal. Chemists 44: 212-214. I
- Guzy, C. M., J. B. Raynor, and M. C. R. Symons
1969. Infrared and electron spin resonance study of the solution of nitrosyliron bis-N,N-diethyl dithiocarbamate. J. Chem. Soc. (A) (London), pp. 2987-2989. F
- Gwiazda, Q. Z.
1971. Infrared spectrophotometric method for quantitative analysis of Propoxur, 2-(1-methylethoxy) phenyl methylcarbamate, in the reaction mixture. Pr. Inst. Pyzem. Org., No.3, pp. 235-243. I
- Hadden, Nina, and W. F. Hammer
1959. Infrared analysis of isomeric dicyanobenzene mixtures. Anal. Chem. 31: 1052-1054. F
- Hallback, P. F., and A. B. McIntyr
1968. Measurement of pesticide residues. J. Environ. Health 31: 248-252. I
- Halls, D. J.
1969. The properties of dithiocarbamates, a review. Mikrochim. Acta (1): 62-67. I,H,F
- Hamilton, D. J., and T. J. Beckman
1966. A rapid infrared spectrophotometric method for the analysis of o,o'-DDT in formulation of technical DDT. Analyst 91: 817-819. I
- Hanst, Phillip L.
1970. Infrared spectroscopy and infrared lasers in air pollution research and monitoring. Appl. Spectrosc. 24: 161-174. Fum
- ____ A. S. Lefohn, and Bruce W. Gay, Jr.
1973. Detection of atmospheric pollutants at parts-per-billion levels by infrared spectroscopy. Appl. Spectrosc. 27: 188-198. Fum

- Hanst, Phillip L., L. L. Spiller, D. M. Watts and others
1975. Infrared measurement of fluorocarbons, carbon tetra-
chloride, carbonyl sulfide, and other atmospheric gases.
J. Air Pollut. Control Assoc. 25(12): 1220-1226. Fum
- Haque, R., and S. Lilley
1972. Infrared spectroscopic studies of charge-transfer complexes
of diquat and paraquat. J. Agric. Food Chem. 20: 57-58. H
- Harford, A. D., E. Thornton, and N. G. McTaggart
1957. The analysis and biological assessment of petroleum-based
insecticides. Proc. Am. Petrol. Inst. 37 (Section III):
389-402. I
- Harrick, N. J.
1963. Total internal reflection and its application to surface
studies. Ann. N. Y. Acad. Sci. 101: 928-959. IT
- _____ and N. H. Riederman
1965. Infrared spectra of powders by means of internal reflec-
tion spectroscopy. Spectrochim. Acta 21: 2135-2139. IT
- Harrison, I. R., and P. G. Marshall
1959. Depletion of insecticides in sheep-dipping baths.
J. Sci. Food Agric. 10: 568-576. I
- _____ and P. G. Marshall
1961. The depletion of insecticides in sheep-dipping baths.
Further field trials. J. Sci. Food Agric. 12: 548-554. I
- Hart, W. G., and V. I. Myers
1968. Infrared aerial color photography for detection of population
of brown soft scale in citrus groves. J. Econ. Entomol. 61:
617-624. IT
- Hartwell, E. J., R. E. Richards, and H. W. Thompson
1948. The vibration frequency of the carbonyl linkage. J. Chem.
Soc. (London), pp. 1436-1441. IT
- Harvey, John, Jr., Arthur G. Jelinek, and Henry Sherman
1973. Metabolism of methomyl in the rat. J. Agric. Food Chem.
21: 769-775. I,N
- Hastings, S. H., A. T. Watson, R. B. Williams, and J. A. Anderson
1952. Determination of hydrocarbon functional groups by infrared
spectroscopy. Anal. Chem. 24: 612-618. IT

- Hawkes, J. C.
1957. Infrared spectroscopy as a quantitative analytical method in general chemical manufactures. J. Appl. Chem. 7: 123-126. IT
- Hayden, Alma L., Wilson L. Brannon, and Neuman R. Craig
1968. A micro-extraction technique with compounds isolated from thin-layer chromatograms. J. Pharmaceut. Sci. 57: 858-860. IT
- _____
Wilson L. Brannon, and Charlotte A. Yaciw
1966. Infrared spectra of some compounds of pharmaceutical interest. Part II. J. Assoc. Off. Anal. Chemists 49: 1109-1153. I, H, F, N
- _____
Oscar R. Sammul, George B. Selzer, and Jonas Carol
1962. Infrared, ultraviolet, and visible absorption spectra of some USP and NF reference standards and their derivatives. J. Assoc. Off. Anal. Chemists 45: 797-900. IT
- Hazue, M., T. Adachi, Junshi Miyameto, and others
1969. Synthesis of phthalthrin, ^{14}C (Neo-pynamin, ^{14}C). J. Agric. Biol. Chem. 33: 631-635. I
- Heigl, J. J., M. F. Bell, and J. U. White
1947. Application of infrared spectroscopy to the analysis of liquid hydrocarbons. Anal. Chem. 19: 293-299. IT
- Henderson, G. L., and D. G. Crosby
1967. Photodecomposition of dieldrin and aldrin. J. Agric. Food Chem. 15: 888-893. I
- Hendra, P. J., and D. B. Powell
1962. The infrared and Raman spectra of piperazine. Spectrochim. Acta 18: 299-306. I
- Hendrickson, Meagher R., and B. G. Shirely
1967. Spectrophotometric determination of Temik residue in citrus. J. Assoc. Off. Anal. Chemists 50: 1242-1246. I
- Henglein, A., G. Schrader, and R. Muhlmann
1954. Infrared spectroscopic determination of the isomeric relations in the systemic insecticides, "Systox." Z. Anal. Chem. 141: 276-281. [In German.] I

Henry, L., A. Colas, and J. Prat

1954. Measurement of the p,p'-isomer of DDT by infrared spectrometry. J. Chim. Ind. (Paris) 71: 919-923. I

Herman, T. S.

1965. Identification of trace amounts of organophosphorus pesticides by frustrated multiple internal reflectance spectroscopy. Appl. Spectrosc. 19: 10-14. I

-
1966. Infrared spectra of some chloro-derivatives of s-triazine. Appl. Spectrosc. 20: 159-160. I,H,F

and J. M. Black

1966. Infrared spectra of some derivatives of pyrimidine-carboxylic acid. Appl. Spectrosc. 20: 413-416. I,R

Herrett, Richard A., and W. P. Bagley

1964. The metabolism and translocation of 3-amino-1,2,4-triazole by Canada thistle. J. Agric. Food Chem. 12: 17-20. H

Hidalgo, Antonio, J. M. Serratos, and M. Jubrias

1956. Infrared absorption spectra of clay minerals submitted to thermal treatment. An. Edafol. Fisiol. Veg. (Madrid) 15: 607-627. [In Spanish.] IT

Hineno, M., and H. Yoshinaga

1975. Far infrared spectra of naphthalene, anthracene, biphenyl, diphenyl ether, diphenylamine, diphenyl sulfoxide, and benzophenone at liquid helium temperature. Spectrochim. Acta 31A: 617-620. F,Fum,PGR

Hoagland, R. E., and D. S. Frear

1976. Behavior and fate of ethylene thiourea in plants. J. Agric. Food Chem. 24: 129-133. F

Hock, W. K., and Hugh D. Sisler

1969. Metabolism of Chloroneb by Rhizoctonia solani and other fungi. J. Agric. Food Chem. 17: 123-128. F

Hodgeson, J. A., W. A. McClenny, and P. L. Hanst

1971. Air pollution monitoring by advanced spectroscopic techniques. Science 182 (4109): 248-293. I,Fum

Hooge, F. N., and P. J. Christen

1958. The assignment of the vibrational frequency of the P=S group. *Rec. Trav. Chim.* 77: 911-922.

I

Hopkins, R. L., H. J. Coleman, C. J. Thompson, and H. T. Rall

1969. Identification of alkylbenzo [b] thiophenes in a Wasson, Texas, crude oil distillate boiling 200° to 250° C. *Anal. Chem.* 41: 2041-2046.

I,S

Horak, M., I. J. Huams, and E. R. Lippincott

1966. The vibrational spectra of thiophene derivatives. The monohalogenothiophenes. *Spectrochim. Acta* 22: 1355-1363.

I

Horner, H. J., J. E. Weiler, and N. C. Angelotti

1960. Visible and infrared spectroscopic determination of trace amounts of silicones in foods and biological materials. *Anal. Chem.* 32: 858-861.

IT

Horvath, Raymond S.

1971. Co-metabolism of the herbicide 2,3,6-trichlorobenzoate. *J. Agric. Food Chem.* 19: 291-293.

H

Horwitz, W. (ed.)

1975. An infrared method for the determination of aldicarb. In *Methods of analysis of the Association of Official Analytical Chemists*, 12th ed., p. 113.

I

-
1975. The infrared method for the analysis of technical chlordane or its formulations. In *Methods of analysis of the Association of Official Analytical Chemists*, 12th ed., pp. 106-107.

I

-
1975. Determination of chlorinated hydrocarbons by the infrared method. In *Methods of analysis of the Association of Official Analytical Chemists*, 12th ed., pp. 658-659.

I,H,F,N

-
1975. Determination of malathion contents in formulations by the infrared method. In *Methods of analysis of the Association of Official Analytical Chemists*, 12th ed., pp. 120-121.

I

-
1975. Determination of the formulations of Dicamba (3,6-dichloro-O-anisic acid; 2-methoxy-3,6-dichlorobenzoic acid). In *Methods of analysis of the Association of Official Analytical Chemists*, 12 ed., p. 110.

H

Horwitz, W. (ed.)

1975. The infrared method for the analysis of aldrin, dieldrin and endrin formulations. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 98-100.

I

-
1975. An infrared method for the analysis of Carbaryl (1-naphthyl N-methyl carbamate). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 114.

I

-
1975. An infrared method for the analysis of Dacthal (dimethyl 2,3,5,6-tetrachloroterephthalate). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 114.

H

-
1975. The infrared method for the analysis of dichlorvos (2,2-dichlorovinyl dimethyl phosphate). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 115-116.

I

-
1975. An infrared method for the analysis of hexachlorocyclohexane. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 102-103.

I

-
1975. The infrared method for the determination of DDT (dichlorodiphenyl-trichloroethane). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 109.

I

-
1975. An infrared method for the determination of phorate (O,O-diethyl S-(ethylthio)methyl phosphorodithioate). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 124.

I

-
1975. An infrared method for the analysis of aldicarb. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 113.

I

Horwitz, W. (ed.)

1975. An infrared method for the determination of rotenone. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 95. I

-
1975. An official final method for the determination of piperazine. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 739-740. I

-
1975. The infrared method for the analysis of lindane (gamma isomer of hexachlorocyclohexane). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 103. I

-
1975. Official first action method for the analysis of methimazole (1-methyl-2-mercaptoimidazole). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 702. F

-
1975. An official final method for the determination of santonin in mixtures. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 754-755. I

-
1975. The infrared method for the analysis of aldrin. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 113. I

-
1975. An infrared method for the determination of dieldrin. In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., p. 114. I

-
1975. An official final action method for the analysis of chlorobutanol (1,1,1-trichloro-2-methyl-2-propanol). In Methods of analysis of the Association of Official Analytical Chemists, 12th ed., pp. 659-660. I, Fum

Hudson, R. L.

1957. Analysis of hexachlorocyclohexane mixture by infrared absorption. Anal. Chem. 29: 1718. I

- Hunt, John M., Mary P. Wisherd, and Lawrence C. Bonham
1950. Infrared absorption spectra of minerals and other inorganic compounds. *Anal. Chem.* 22: 1478-1479. IT
- Ibrahim, F. B., J. M. Gilbert, R. T. Evans, and J. C. Caragnol
1969. Decomposition of Di-System (disulfoton) on fertilisers: The determination was made by infrared gas-liquid chromatography and thin-layer chromatography. *J. Agric. Food Chem.* 17: 300-305. I
- Ismail, Zakya K., Robert H. Hauge, and John L. Margrave
1973. Infrared spectra of the alkali metal cyanides in the solid state. *Appl. Spectrosc.* 27: 93-94. H,Fum
- Ito, Masayuki, and S. Kadowaki
1973. Determination of sulfur in heavy oils by a rapid analytical device. *Aichi-ken Kegai Chosa Senta Shoto (Rep. Environ. Pollut. Res. Cent.)* No. 1, pp. 23-27. I,Fum
- Janes, N. F., A. F. Machin, M. P. Quick, and others
1973. Toxic metabolites of diazinon in sheep. *J. Agric. Food Chem.* 21: 121-124. I
- Jedlovská, E., J. Kovac, A. Piklerová, and Konečný
1975. Furan derivatives. Part 73. Substituted synthesis and properties of carbamoyl-5-N-phenyl-2-furaldehydes oximes. *Chem. Zvesti.* 29(5): 703-708. I,H,F
- Jenkins, J. W., and K. O. Kellenbach
1959. Identification of anionic surface active agents by infrared absorption of the barium salts. *Anal. Chem.* 31: 1056-1059. I,F,R
- Johns, Theron, and C. H. Braithwaite, Jr.
1963. Selective detection and identification of pesticide residues. *In* Residue reviews, F. A. Gunther (ed.), vol. 5, pp. 45-56. Academic Press, New York. I
- Joiner, Ronald L.
1974. Identification of the photo-alteration products from parathion by ultraviolet light. *J. Assoc. Offic. Anal. Chemists* 64: 409-417. I

- Jonassen, H. B., T. Paukert, and R. A. Henry
1967. Infrared spectra of some 5-aminotetrazoles and their deuterated derivatives. Appl. Spectrosc. 21: 89-91. H
- Jordan, Lowell S., A. A. Zurqivah, A. R. DeMur, and W. A. Clerx
1975. Metabolism of siduron in Kentucky blue grass (*Poa pratensis* L.). J. Agric. Food Chem. 23: 286-290. H
- Jose, C. I.
1969. Infrared spectra of substituted ureas: I. Alkyl ureas. Spectrochim. Acta 25A: 111-119. F
- Kaczaj, Jaroslaw
1967. Simple rapid infrared method for the positive identification of polyurethanes. Appl. Spectrosc. 21: 180-181. IT
- Kahn, Lloyd, and C. H. Wayman
1964. Apparatus for continuous extraction of non-polar compounds from water applied to the determination of chlorinated pesticides and intermediates. Anal. Chem. 36: 1340-1343. I,H
- Kamada, Hitoshi, and S. Tanaka
1956. Infrared absorption spectrum of the disubstituted naphthalene nucleus. Jpn. Anal. 5: 98-101. PGR
- _____ and Seichi Tanaka
1954. Determination of traces of α - and β -natronaphthalene in the nitration product of naphthalene by infrared absorption spectra. Jpn. Anal. 3: 207-208. H,F,PGR
- _____ Seichi Tanaka, K. Namba, and T. Yamashita
1953. Analysis of mono- and di-nitronaphthalenes by infrared spectrophotometry. J. Ind. Explosives Soc. (Japan) 14: 99-103. Fum
- _____ Seichi Tanaka, and Yutaka Nishino
1954. Determination of a mixture of dimethyl phthalate and diethyl phthalate by infrared absorption spectroscopy. Jpn. Anal. 3: 134-135. IR

- Karaphally, J. C., J. G. Saha, and Young W. Lee
1973. Metabolism of lindan- ^{14}C in the rabbit ether-soluble urinary metabolites. J. Agric. Food Chem. 21: 811-818. I
- Karyakin, A. V., V. L. Tokhadze, and G. A. Maisuradze
1970. Infrared spectrophotometric determination of small concentrations of water in carbon tetrachloride. Zh. Analit. Khim. 25(2): 315-318. [In Russian.] IT
- Katlafaky, Bernard, and Robert E. Keller
1963. Attenuated total reflectance infrared analysis of aqueous solutions. Anal. Chem. 35: 1665-1670. I,H,F,N
- Katon, J. E., W. R. Fearheller, Jr., and J. V. Pustinger, Jr.
1964. Infrared spectra-structure correlations of aliphatic amides in the 700- to 250 cm^{-1} region. Anal. Chem. 36: 2126-2130. I,A
- Katritzky, A. R.
1958. Infrared absorption of heteroaromatic and benzenoid six-membered, monocyclic nuclei. Part V. The correlation of intensities of CC and CN ring stretching frequencies with charge disturbance in the ring. J. Chem. Soc. (London), pp. 4162-4167. F
- _____ and J. M. Lagowski
1958. Infrared absorption of heteroaromatic and benzenoid six-membered, monocyclic nuclei. Part IV. Monosubstituted benzenes. J. Chem. Soc. (London), pp. 4155-4162. I
- Kauer, K. C., R. S. DuVall, and F. N. Alquist
1947. Epsilon isomer of 1,2,3,4,5,6-hexachlorocyclohexane. Ind. Eng. Chem. 39: 1335-1338. I
- Kawano, Y., A. Bevenue, H. Beckman, and F. Erro
1969. Studies of the effect of sulfuric-fuming nitric acid treatment of the analytical characteristics of toxaphene. J. Assoc. Off. Anal. Chemists 52:167-172. I
- Kellner, R.
1975. The possibility of employing the combination of thin-layer chromatograph-infrared spectroscopy for the quantitative analysis of dialkyl dithiocarbamate mixture. Mikrochim. Acta 2(2): 253-256. [In German.] I

- Kendall, R. F.
1967. Method for rapid transfer of GLC fractions into infrared cavity cells. *Appl. Spectrosc.* 21: 31-32. IT
- Kennedy, M. V., B. J. Stojanovic, and F. L. Shuman, Jr.
1972. Analysis of decomposition products of pesticides. *J. Agric. Food Chem.* 20: 341-343. I,H,F
- Kenyon, W. C.
1952. Infrared absorption spectrum of toxaphene. *Anal. Chem.* 24: 1197-1198. I
- Ketelaar, J. A. A., and H. R. Gersmann
1959. Chemical studies on insecticides. IX. Infrared absorption spectra of H_3PO_4 esters. *Rec. Trav. Chim.* 78: 190-198. I
- Kettmann, R., J. L. Closset, A. Copin, and others
1973. Application of spectrometry by total attenuated reflection in the infrared to the study of residues of some phytopharmaceutical products. *C. R. Acad. Sci., Ser. D.*, 277(11): 967-969. [In French.] IT
-
- J. L. Closset, A. Copin, and others
1974. Application of attenuated total reflectance infrared spectrometry to the identification of pesticide residues. *Meded. Fac. Landbouwwet, Rijksuniv. Gent.* 39(2): 1359-1367. [In French.] I
-
- J. L. Closset, A. Copin, and others
1975. Application of infrared multiple attenuated total reflection spectrometry to the identification of Thiram residues in lettuce. *Anal. Lett.* 6: 1013-1019. [In French.] F
- Khalifa, Safy, Thomas R. Mon, Judith L. Engel, and John E. Casida
1974. Isolation of 2,2,5-endo, 6-oxo, 8,9,10-heptachlorobornane and an octachloro toxicant from technical toxaphene. *J. Agric. Food Chem.* 22: 653-657. I
- Khan, S. U.
1974. Absorption of bipyridelium herbicides by humic acid. *J. Environ. Qual.* 3(3): 202-206. H

- Khan, S. U.
1974. Interaction of humic acid with bipyridelium herbicides. J. Environ. Qual. 2(3): 415-417. H
-
- and R. Mazurkewich
1974. Absorption of linuron on humic acid. Soil Sci. 118(5): 339-343. H
- Khoshkoo, Hossein, Stuart J. Hemple, and Eugene R. Nixon
1974. Infrared and Raman studies of solid formaldehyde. Spectrochim. Acta 30A: 863-868. F
- Kiley, L. R.
1958. Analysis of diphenylamine, diphenyl ether, and azobenzene mixtures. Anal. Chem. 30: 1577. I,F
-
1958. Analysis of 4-phenylphenol and 4,4-biphenol mixtures. Anal. Chem. 30: 1162. F
-
1958. Analysis of 2-bromoethanol, 1,2-dibromoethane, 1,1,2,2-tetrabromoethane, and 1-bromo-2,2-(2-bromoethoxy)-ethane mixtures. Anal. Chem. 30: 1709. Fum,N
-
1958. Analysis of 2,4-dichlorophenoxyacetic acid. Anal. Chem. 30: 1709. H
-
1959. Analysis of carbon tetrachloride for trace impurities. Anal. Chem. 31: 157. Fum
- Kimmelfeld, Y. M., M. A. Moskalyova, G. N. Zhizhin, and others
1970. Analysis of the vibrational spectra of thiono-(3,2-V)-thiophene in the gaseous, liquid, and crystalline states. Optics Spectrosc. 28: 588-602. Fum
- King, Stanley S. T.
1973. Application of infrared Fourier transform spectroscopy to the analysis of micro samples. J. Agric. Food Chem. 21: 526-530. IT

- Kinsey, E. L., and J. W. Ellis
1937. Rotation of water molecules in carbon disulfide solution. Phys. Rev. 51: 1074-1078. IT
- Kirina, O. F., G. D. Chukin, and T. V. Antipina
1973. Infrared spectra of pyridine on surface of fluorinated alumina. J. Appl. Spectrosc. 18: 687. I,H,F
- Kirkland, J. J.
1955. Quantitative application of potassium bromide disk technique in infrared spectroscopy. Anal. Chem. 27: 1537-1541. IT
- Kishaba, A. N., D. L. Shankland, R. W. Curtis, and M. C. Wilson
1962. Substances inhibitory to insect feeding with insecticidal properties from fungi. J. Econ. Entomol. 55: 211-214. I
- Kitson, R. E., and E. Griffith
1952. Infrared absorption band due to nitrile stretching vibration. Anal. Chem. 24: 334-337. F
- Klaboe, P.
1970. The vibrational spectra of 2,3-dichloro- and 2,2-dibromo-propane. Spectrochim. Acta 26A: 977-987. Fum,N
- Klein, A. K., R. E. Dailey, M. S. Walton, and others
1970. Metabolites isolated from urine of rats fed ^{14}C -photo-dieldrin. J. Agric. Food Chem. 18: 705-708. I
-
- E. P. Laug, P. R. Datta, and others
1964. Relative dechlorination of DDT to DDD and isomeric transformation of o,p'-DDT to p,p'-DDT in vivo. J. Assoc. Off. Anal. Chemists 47: 1125-1145. I
- Klisenko, M. W., and L. G. Aleksandrova
1972. Use of UV and IR spectrophotometry for the determination of residual amounts of Barban. Probl. Anal. Khim. 2: 61-66. [In Russian.] H

Klopfenstein, C. E., and J. Koslinen

1974. Infrared emission for detection and identification of pesticides. In Environmental science research, Haque Rizaanul and Francis J. Hiros (eds.), vol. 4, pp. 325-332. American Chemical Society, Washington, D.C.

I, H, F

Klun, J. A., and T. A. Brindley

1966. Role of 6-methoxybenzoxazolinone in inbred resistance of host plant (maize) to first-brood larvae of European corn borer. *J. Econ. Entomol.* 59: 711-718.

I, F

C. L. Tipton, J. F. Robinson, and others

1970. Isolation and identification of 6,7-dimethoxy-2-benzoxazolinone from dried tissues of Zea mays (L) and evidence of its cyclic hydroxamic acid precursor. *J. Agric. Food Chem.* 18: 663-665.

F

Knodel, L. R., and E. J. Elvin

1952. Infrared determination of biphenyl in treated fiberboard cartons. *Anal. Chem.* 24: 1824-1826.

F

Knoerlein, R. G.

1961. The infrared analysis of rotenone. *J. Assoc. Off. Anal. Chemists* 44: 577-579.

I

Knowles, C. O., Anil K. Sen Gupta, and T. K. Hassan

1969. Formation of symmetrical azo derivatives of mono-chlorotoluidines by peroxidatic catalysis. *J. Econ. Entomol.* 62: 411-414.

H

Kojima, S., and T. Oba

1971. Application of infrared absorption spectroscopy to the examination of drugs and their preparation. Part XX: Studies on the polymorphism (bromodiethylacetyl urea homo-sulfamine) by differential thermal analysis and infrared analysis. *Bull. Natl. Inst. Hyg. Sci. (Tokyo)* 89: 4-9.

F

Kolbasov, V. I., S. A. Bardenshtein, and R. V. Dzhgatspanyan

1962. Analysis of technical hexachlorobenzene by infrared absorption spectra. *Zavodsk. Lab.* 28: 446-447.

I

Kolka, A. J., H. D. Orloff, and Margaret E. Griffing

1954. Two new isomers of benzene hexachloride. *J. Am. Chem. Soc.* 76: 3940-3943.

I

- Korte, F., and H. Arent
1965. Metabolism of insecticides. IX. Isolation and identification of dieldrin metabolites from urine of rabbits after oral administration of dieldrin ^{14}C . Life Sci. 4: 2017-2026. I
- Kotakemori, M., K. Yamaoka, and K. Obayashi
1970. Infrared spectrophotometric determination of MPMC and MTMC in dust formulations. Noyaku Seisan Gijutsututsu 22: 9-12. [In Japanese.] I
- Koudela, S., and V. Cielezsky
1974. Determination and micro-preparative separation of chlorocholine chloride by paper chromatography. J. Chromatogr. 90(1): 233-235. IT
- Kovacs, Martin F., Jr.
1967. Improved infrared method for carbaryl (Sevin) in commercial formulations. J. Assoc. Off. Anal. Chemists 50: 566-568. I
- Kraehel, Charlotte M., S. M. Davis, and M. J. Landon
1967. Hydrozine derivatives. I. Infrared spectra of biureas, 1,1'-Azobisformamides and hydrazine disulfonic acid derivatives. Spectrochim. Acta 23A: 2541-2549. PGR
- Kraze, G., E. Ropte, and B. Schrader
1965. Zur Structur von Organoschwefelverbindungen. X. Mitteilung: IR- und Raman-spektren von Methylarylsulfiden, -Sulfoxiden und -sulfonen. Spectrochim. Acta 21: 1633-1645. [In German.] I
- Kruse, K. M. M.
1970. Polarized infrared spectra of single crystal specimens of O-dichlorobenzene. Spectrochim. Acta 26A: 1603-1610. Fum
- Kulasingham, G. C., W. R. McWhinnie, and Rosemary R. Thomas
1966. The infrared spectra ($650-222\text{ cm}^{-1}$) of some compounds containing the 2-pyridyl group. Spectrochim. Acta 22: 1365-1369. I,H,F
- Kullbom, S. D., and H. F. Smith
1963. Determination of toluene and xylene sulfonate concentrations in aqueous solution by infrared spectrometry. Anal. Chem. 35: 912-914. IT

- Kumazawa, Zenjaburo
1958. The application of infrared spectra to agricultural chemicals. A review. Kagaku no Rybiki Zokon No. 38, pp. 109-141. I
- Kunitomi, Kenji, T. Shimanouti, and S. Mizushima
1949. Analysis of isomeric mixture of BHC by infrared absorption. J. Chem. Soc. (Japan), Pure Chemistry Section 70, pp. 340-341. [In Japanese.] I
- Kuratani, Kenji
1953. The infrared absorption spectra of sodium chlorate and potassium chlorate crystals. Proc. Indian Acad. Sci. 37A: 451-457. H, F
- Landis, W. R., and T. D. Perrine
1968. Nuclear magnetic resonance and infrared spectroscopic study of N-vinyl compounds. Appl. Spectrosc. 22: 161-164. I
- Larnaudie, Marcel
1949. Determination of hexachlorocyclohexanes by infrared spectroscopy. Congr. Group. Avance Meth. Anal. Spectogr. Prod. Met. (Paris) 11: 149-151. I
- Laulicht, I., S. Pinchas, E. Petreanu, and D. Samuel
1965. The infrared absorption spectrum of ^{18}O -labeled urea. Spectrochim. Acta 21: 1487-1494. F
- Launer, Philip J.
1968. Infrared absorption bands characteristic of the $\text{Si-CH}_2\text{CH}_2\text{CN}$ and $\text{Si-CH}_2\text{CH}_2\text{CH}_2\text{CN}$ groups. Appl. Spectrosc. 22: 201-203. I, F
- Lawrence, J. H., R. P. Barron, J-Y. T. Chen, and others
1970. Note on identification of chlordan metabolite found in milk and cheese. J. Assoc. Off. Anal. Chemists 50: 261-262. I
- Leberknight, C. E., and John A. Ord
1937. Infrared absorption of dilute solutions of HCl and HBr. Phys. Rev. 51: 430-433. IT
- Leeling, Norman C., and John E. Casida
1966. Metabolites of carbaryl (1-naphthyl methylcarbamate) in mammals and enzymatic system for their formations. J. Agric. Food Chem. 14: 281-290. I

- Leifer, A., M. Boedner, P. Gougherty, and others
1966. Investigation of spectral sensitization.
III. A study of the visible and infrared
spectra of some very pure bis-thiazolinyll
and bis-thiazolyl cyamine iodide. Appl.
Spectrosc. 20: 150-158. F
- Lento, H. G., and J. A. Ford
1963. The differentiation of the n-alkanal 2,4-dinitro-
phenylhydrazones by infrared spectrometry. Anal.
Chem. 35: 1418-1420. I,A,H,F
- Leontovskii, M. P.
1961. Calculation of the frequencies and intensities
of the infrared spectrum of propenyl bromide.
J. Optic. Soc. Am. 11: 256-258. Fum
- Lichtenstein, E. P., and J. E. Casida
1963. Myristicin, and insecticide and synergist occurring
naturally in the edible parts of parsnips. J. Agric.
Food Chem. 11: 410-415. I,S
-
- Tony T. Liang, Ken R. Schulz, and others
1974. Insecticidal and synergists components isolated
from dill plants. J. Agric. Food Chem. 22:
658-664. I,S
- Lieber, Eugene, and Edwin Oftedahl
1959. Infrared spectra of acid azides. J. Org.
Chem. 24: 1014-1016. I,H,F
-
- E. Oftedahl, C. N. Pillai, and R. D. Hites
1957. Infrared spectrum of the so called 5-amino-
1,2,3,4-thiatriazole. J. Org. Chem. 22:
441-442. H,F
-
- C. N. R. Rao, C. N. Pillai and others
1958. The infrared spectra of 4-substituted thiosemi-
carbazides and diazotization products. Can.
J. Chem. 36: 801-809. I,F
-
- J. Ramachandran Rao, T. S. Chao, and
C. W. W. Hoffman
1957. Infrared spectra of organic azides. Anal. Chem.
29: 916-918. I,H,F,N

- Lieber, Eugene, and A. E. Thomas, III
1961. Infrared and ultraviolet absorption spectra of Azidoethers and amines. Appl. Spectrosc. 15: 144-148. I,H,F,N
- Lindquist, D. A., and Paul A. Dahm
1957. Some chemical and biological experiments with Thiodan. J. Econ. Entomol. 50: 483-486. I
- Lippincott, E. R., F. E. Welsh, and C. E. Weir
1961. Microtechnique for the infrared study of solids. Diamonds and sapphires as cell materials. Anal. Chem. 33: 137-143. IT
- Liu, Shu-Yen, and Jean Mare Bullag
1971. Metabolism of carbaryl by a soil fungus. J. Agric. Food Chem. 19: 487-490. I,F
- Liver, M.
1961. Infrared spectrophotometric analysis of technical hexachlorocyclohexane and mixtures of its isomers and heptachlorocyclohexane. Sb. Prac. Vyzkum, Ustavu Agrochem. Technol. (Bratislava) 1: 41-58. I
1961. Infrared spectroscopic analysis of pesticides. Acta Chim. Acad. Sci. (Hungarian) 27: 425-434. [In German.] I
- Lohman, Fred H., and W. E. Northeman, Jr.
1963. Determination of primary and secondary aliphatic amines by near-infrared spectrophotometry. Anal. Chem. 35: 707-711. H
- Lombardo, P., and I. H. Pomerantz
1972. Identification of photoaldrin chlorohydrin as a photoalteration of dieldrin. J. Agric. Food Chem. 20: 1278-1279. I
- Loos, M. A., R. H. Roberts, and M. Alexander
1967. Formation of 2,4-dichlorophenol and 2,4-dichloroanisole from 2,4-dichlorophenoxyacetate by Arthrobacter sp. Can. J. Microbiol. 13: 691-699. H
- R. H. Roberts, and M. Alexander
1967. Phenols as intermediate in the decomposition of phenoxyacetates by an Arthrobacter species. Can. J. Microbiol. 13: 679-690. H

- Lorenz, W., A. Henglein, and G. Schrader
1955. The new insecticide O,O-dimethyl 2,2,2-trichloro-1-hydroxyethyl phosphonate. J. Am. Chem. Soc. 77: 2554-2556. I
- Low, J. D.
1966. Applications of multiple-scan interferometry to the measurement of infrared spectra. Appl. Spectrosc. 22: 463-471. IT
-
- _____ and Stanley K. Freeman
1967. Measurement of infrared spectra of gas-liquid chromatography fractions using multiple-scan interference spectrometry. Anal. Chem. 39: 194-198. IT
- Lukasiewicz-Ziarkowska, Zofia
1961. Determination of γ -hexachlorocyclohexane (HCH) in technical products by IR absorption. Z. Chem. Anal. (Warsaw) 6(5): 831-840. I
-
1964. Determination of γ -, γ -, and o-hexachlorocyclohexanes in technical products containing about 30% γ -isomer by infrared absorption spectrophotometry. Z. Chem. Anal. (Warsaw) 9(3): 527-534. I
- Lundquist, R. T., and Armand Ruby
1966. The separation and identification of the 2,4- and 2,5-dimethyl derivatives of 2-oxazoline. Appl. Spectrosc. 20: 258-261. IT
- Lykken, Louis
1961. Total chlorine and infrared methods for the determination of aldrin, dieldrin and endrin formulations. J. Assoc. Off. Anal. Chemists 44: 595-605. I
-
1962. Infrared analysis of aldrin emulsifiable concentrates. J. Assoc. Off. Anal. Chemists 45: 527-529. I
- McCarthy, Donald E.
1963. The reflection and transmission of infrared materials: I. Spectra from 2 to 50 microns. Appl. Optics 2: 591-595. I,H

McCarthy, Donald E.

1968. Infrared spectra of polishing compounds. Appl. Spectrosc. 22: 66-67.

IT

-
1968. Variable-angle reflectance measurements in the infrared. Appl. Spectrosc. 22: 460-463.

IT

McCaully, D. F.

1965. An approach to the separation, identification, and determination of at least ten organophosphate residues in raw agricultural products. J. Assoc. Off. Anal. Chemists 48: 659-665.

I

and J. W. Cook

1960. The infrared spectra of organic phosphate pesticides and their application and some problems in phosphate pesticide analysis. J. Assoc. Off. Anal. Chemists 43: 710-717.

I

and J. W. Cook

1961. The infrared spectra of organic phosphate pesticides and their application and some problems in phosphate pesticide analysis. In Instrumental methods for the analysis of food additives, W. H. Butz and H. J. Moebels (eds.), pp. 137-152. Interscience, New York.

I

McCoy, R. N., and E. C. Fiebig

1965. Technique for obtaining infrared spectra of microgram amounts of compounds separated by thin-layer chromatography. Anal. Chem. 37: 593-595.

I

McCully, K. A.

1970. Analysis of multiple pesticide residues - chemical identity and confirmation of results. World Rev. Pest Control 9(3): 59-74.

I, H, F, N

McDermott, W. H.

1973. Infrared analysis of carbaryl insecticide: Modification of the extraction procedure to accommodate liquid suspension formulations. J. Assoc. Off. Anal. Chemists 56: 576-578.

I

-
1973. Infrared spectrometric analysis of aldicarb formulations. J. Assoc. Off. Anal. Chemists 56: 1091-1092.

I

McDermott, W. H.

1974. Collaborative study of the infrared spectrophotometric determination of aldicarb in formulations. J. Assoc. Off. Anal. Chemists 57: 642-644. I

-
1975. Carbaryl insecticide: Extraction from dust and powder formulations. J. Assoc. Off. Anal. Chemists 58: 28-32. I

McDonald, I. R. C.

1954. Quantitative infrared analysis of mixtures. Nature 174: 703-704. IT

and C. C. Watson

1957. Quantitative infrared analysis of mixtures of isomeric or closely related substances, mixtures of chlorinated insecticides. Anal. Chem. 29: 339-346. I

McIvor, R. A., G. A. Grant, and C. E. Hudley

1956. Infrared studies of sulfur-containing organic derivatives of phosphorus pyroacids. Can. J. Chem. 34: 1611-1646. I

and C. E. Hudley

1959. Infrared spectra of organophosphorus compounds. Can. J. Chem. 37: 869-876. I

C. E. Hudley, G. A. Grant, and A. A. Grey

1958. The infrared spectra of organophosphorus compounds. II. The 1.0 to 2.6 μ region. Can. J. Chem. 36: 820-834. I

McLachlaw, R. D., and R. A. Nyquist

1958. The vibrational spectra of the allyl halides. Spectrochim. Acta 24A: 103-114. Fum

McLeod, H. A., and W. R. Ritcey

1973. Analytical method for pesticide residues in foods. pp. IV and 365. The Queen's Printer, Ottawa. I

McMannis, G. E.

1970. Infrared absorption spectra of vinyl esters of carboxylic acids. Appl. Spectrosc. 24: 495-498. I,H,F,N

McTaggart, N. G., E. Thornton, and A. D. Harford

1958. The determination of pyrethrins and other insecticidal compounds by infrared spectrometry. Pyrethrum Post 4(4): 12-15, 24. I

- Malherbe, F. E., and H. J. Bernstein
1952. The infrared and Raman spectra of p-dioxane.
J. Am. Chem. Soc. 74: 4408-4410. IT
- Malina, Marshall A.
1966. Collaborative study of spectrophotometric
determination of hexachlorocyclopentadiene
in technical chlordane. J. Assoc. Off. Anal.
Chemists 49: 254-256. I
-
1971. Collaborative study of infrared analysis of
dicamba-2-methyl-4-chlorophenoxy acetic acid
formulations. J. Assoc. Off. Anal. Chemists
54: 706-710. H
-
1973. Collaborative study of methods for the analysis
and control of AG chlordane and its formulations.
J. Assoc. Off. Anal. Chemists 56: 591-595. I
-
- A. Rozek, and B. Schwemmer
1972. AG chlordane: Development of methods for its
analysis and control. J. Assoc. Off. Anal.
Chemists 55: 942-947. I
- Malone, C. P., and P. A. Flournoy
1965. Infrared ATR determination of alcohols in
aqueous solution. Spectrochim. Acta 21A:
1361-1366. IT
- Manison, L. W.
1949. The analysis of mixtures of the stereoisomerides
of hexachlorocyclohexane (benzene hexachloride)
by means of infrared spectroscopy. J. Soc. Chem.
Ind. (London) 68: 192-195. I
- Manney, T. R., R. T. Bailey, and E. R. Lippincott
1965. The vibrational spectra of penta-deutero
chlorobenzene. Spectrochim. Acta 21: 1495-
1504. I
- Manning, R. J.
1972. Application of a small infrared spectrophotometer
in pollution analysis of oil and water pollution
by insecticides and other pesticides. Int. Lab.
5-6: 37-41. I

- Manning, R. J.
1972. Infrared spectrophotometry in pollution analysis. J. Environ. Pollut. Manage. 2(7): 265-268. IT
-
1973. Infrared spectroscopy in the detection of impurities in air, water and waste water. Bechman Rep. 1, pp. 36-42. [In German.] IT
- Manno, R. P., N. Paraskevopoulos, and H. J. Matsuguma
1959. A variation of the compensation technique in infrared spectrophotometry. Appl. Spectrosc. 13: 57-59. H
- March, R. B.
1952. The solution and chemical and biological characterization of some constituents of technical chlordan. J. Econ. Entomol. 45: 452-456. I
- Marrison, L. W.
1949. Analysis of mixtures of the stereoisomers of hexachlorocyclohexane (benzene hexachloride) by means of infrared spectroscopy. J. Soc. Chem. Ind. (London) 68: 192-195. I
- Marshall, P. G.
1960. The determination of 2,6-dichloro-4-nitro-aniline in Ditrangle and some fungicidal formulations by infrared spectroscopy. Analyst 95: 681-683. F
- Masuda, T., J. Kanazawa, and H. Inoue
1972. Determination of methomy and its two principal metabolites, the sulfoxide and the sulfone in potatoes, potato plants, and the soil in which they were grown. Noyaku Seisan Gijutsu, Tutsu 28: 22-23. [In Japanese.] I,N
- Mathis-Noel, Raymonde, A. Munoz, and F. Mathis
1963. Spectrographic study of primary and secondary hydroxylamines. Ann. Fac. Sci. Univ. Toulouse. Sci. Math. Phys. 25: 113-124. H
- Mattews, H. B., and Fumio Malsumura
1969. Metabolic fate of dieldrin in the rat. J. Agric. Food Chem. 17: 845-852. I

- Mattson, J. S., H. B. Mark, Jr., and W. J. Weber, Jr.
1969. Identification of surface functional groups on active carbon by infrared internal reflection spectrophotometry. *Anal. Chem.* 41: 355-358. H, F, IT
- Meguerian, Garbis, and L. B. Clapp
1951. Reactions of ethyleneimines. II. With thiophenol - a rare study. *J. Am. Chem. Soc.* 73: 2121-2124. Fum
- Mendel, J. L., A. K. Klein, J. T. Chen, and Mae S. Walton
1967. Metabolism of DDT and some other chlorinated organic compounds by Aerobacter aerogenes. *J. Assoc. Off. Anal. Chemists* 50: 897-903. I
- Mendoza, C. E., P. J. Wales, and G. V. Hatina
1971. Alkoxy derivatives of Dyrene: Identification and carboxyl esterase inhibition. *J. Agric. Food Chem.* 19: 41-45. F
- Menefee, A., D. C. Alford, and C. B. Scott
1957. Identification of alkythio groups by infrared spectroscopy. *J. Org. Chem.* 22: 792-795. I
- Menzer, R. E., and J. E. Casida
1965. Nature of toxic metabolites formed in mammals, insects and plants from 3-(dimethoxyphosphinyl-oxy)-N,N-dimethyl-cis-crotonamide and its N-methyl analog. *J. Agric. Food Chem.* 13: 102-112. I
- Mestress, R., C. Causse, and J. Kovac
1971. Control of phytosanitary formulations: The determination of heptachlor in granules. *Trav. Soc. Pharm. Montpellier* 31(1): 37-42. [In French.] I
- Metchell, L. E., A. C. O'Dowel, and D. R. Patterson
1966. Collaborative study of the infrared method for DDVP in pesticide formulations. *J. Assoc. Off. Anal. Chemists* 49: 251-253. I
- Miller, Foil A., and Charles H. Wilkins
1952. Infrared spectra and characteristic frequencies of inorganic ions. *Anal. Chem.* 24: 1253-1294. IT

Milone, Mario, and Enzo Borello

- 1952-3. Analysis of technical hexachlorocyclohexane by infrared spectroscopy. Ann. Acad. Agr. Torino 95: 101-111. [In Italian.]

I

and Enzo Borello

1953. Application of the infrared spectrographic method to analysis of chlorinated impurities in technical hexachlorocyclohexane. Gas. Chim. Ital. 83: 255-263. [In Italian.]

I

Mitchell, William, J. H. N. Byrne, and F. H. Tresadern

1963. Pyrethrum analysis: An infrared method. Analyst 88: 538-543.

I

Mitzner, B. M., V. J. Mancini, S. Lemberg, and E. T. Theimer

1968. Infrared spectra of mono-terpenes and related compounds. II. Terpene alcohols. Appl. Spectrosc. 22: 34-53.

I

Y. Sato, K. Yamamoto, and others

1968. Metabolic fate of phthalthrin in mammals. Appl. Spectrosc. 22: 620-640.

I

El T. Theimer, and S. K. Freeman

1965. The infrared spectra of mono-terpenes and related compounds. Appl. Spectrosc. 19: 169-185.

I

Miyamoto, Junshi, K. Yamamoto, and T. Matsumoto

1969. Metabolism of 3,4-dimethyl phenyl N-methyl-carbamate in white rats. Agric. Biol. Chem. 33: 1060-1073.

I

Miyazaki, S., G. Mallory Boush, and F. Matsumura

1970. Microbiol degradation of chlorobenzilate (ethyl 4,4-dichlorobenzilate) and chloro-propylate (isopropyl 4,4'-dichlorobenzilate). J. Agric. Food Chem. 18: 87-91.

I,A

Moll, F., and M. Koslovski

1972. Carbon-chlorine valence bonds and confirmation of isomeric hexachlorocyclohexanes. Arch. Pharm. 305(11): 829-833. [In German.]

I

- Mongantini, M., A. Spoma, G. D'Acunzo, and O. Piombino
1971. Infrared spectrophotometric determination of domestic aerosol insecticides containing dimethyl 2,2-dichlorovinyl phosphate (DDVP). (1) Mixture of DDVP, methylene chloride and Freon. Boll. Lab. Chim. Prov. (Bolaau) 22(4): 735-739. [In Italian.] I
- Montgomery, M. L., D. L. Botsford, and V. H. Freed
1969. Metabolism of hydroxy simazine by corn plants. J. Agric. Food Chem. 17: 1241-1243. H
- Morgan, N. L.
1967. The identification and relative retention times of p,p'-Kelthane and its breakdown product p,p'-dichlorobenzophenone using GLC. Bull. Environ. Contam. Toxicol. 2: 306-313. I
- Morris, R. J., Jr.
1963. Infrared spectrophotometric analysis of calcium sulfate hydrates using internally standardized mineral oil mulls. Anal. Chem. 35: 1489-1492. F
- Morris, W. W., Jr., E. O. Haenni, and O. Edwards
1963. Infrared spectra of pesticides. J. Assoc. Off. Anal. Chemists 46: 964-986. I
- Mortland, M. M.
1968. Pyredinium-montmorillonite complexes with ethyl N,N-di-n-propylthio carbamate (EPTC). J. Agric. Food Chem. 16: 706-707. H
- _____ and W. F. Meggit
1966. Interaction of ethyl N,N-di-n-propylthio carbamate (EPTC) with Montmorillonite. J. Agric. Food Chem. 14: 126-129. H
- Muller, Jorge P.
1968. Gas-liquid chromatographic determination and infrared identification of ethyl alcohol, carbonate, and diethyl oxalate in a ternary mixture. Appl. Spectrosc. 22: 340-341. N, Fum
- Murto, Juhani, Antti Kivinen, K. Edelmann, and E. Hassinen
1975. Fluoroalcohols-XXI. Infrared matrix infrared and Raman spectra of 1,1,1-trifluoro-2-propanol and its three duterated analogues. Spectrochim. Acta 31A: 479-494. I, F

- Muto, Toshio, Ryoza Sugawara, and K. Mizoguchi
1971. Identification of the fraction D₃ and the activities of some related compounds. Agric. Biol. Chem. 32: 624-627. IT
- Nadeau, A., and R. N. Jones
1970. The manipulation of volatile solutes and solvents in infrared spectro-photometry. Spectrochim. Acta 26A: 742-746. IT
- Nagase, H.
1973. Studies on fungicides. XXIII. Addition of dithiocarbamates and thiocarbamate to 2-thioxo-2-oxo- and 2-imino-5-methoxycarbonylmethylidenethiazolidones. Chem. Pharm. Bull. (Tokyo) 21(5): 1132-1135. F
- Nagel, B., T. H. Steiger, J. Frugert, and G. Geiseler
1975. Das Schwingungsverhalten von Diphenylsulfid Diphenylsulfoxid und Diphenylsulfon. Spectrochim. Acta 31A: 255-264. [In German.] F
- Nakagawa, M., K. Kawakubo, and M. Ishida
1971. Metabolism of the herbicide 3-(2-methylphenoxy) pyridazine in plants. Agric. Biol. Chem. 35: 764-777. H
- Nakatsugawa, T., and P. A. Dahm
1965. Parathion activation enzymes in fat body microsomes of the American cockroach. J. Econ. Entomol. 58: 500-509. I
- Nalbandow, O., R. T. Yamamoto, and G. S. Frankel
1964. Nicandrenone, a new compound with insecticidal properties, isolated from Nicandra physalodes. J. Agric. Food Chem. 12: 55-59. I
- Nelson, J. O., and F. Matsumura
1975. Separation and comparative toxicity of toxaphene compounds. J. Agric. Food Chem. 23: 984-990. I
- Nelson, M. J., and P. R. Datta
1966. Microdetermination of endrin in presence of aldrin and dieldrin by infrared spectroscopy. Microchem. J. 13: 91-97. I
- Nesynova, L. I., and E. P. Nesynov
1971. Study of interaction of ATP with derivatives of dithiocarbamic acid using infrared UV spectra. VDPR Med. Khim. 17(3): 311-315. F

- Netzel, D. A., T. S. Hermann, and F. F. Bentley
1968. Infrared spectra of polysubstituted pyrimidines
in the 700-200 cm^{-1} region. Appl. Spectrosc. 22:
170-182. H,F
- Newhall, W. F., E. J. Elvin, and L. R. Knodel
1954. Infrared determination of biphenyl in citrus
fruits. Anal. Chem. 26: 1234-1236. F
-
- _____ and A. P. Puringer
1967. Derivatives of l-limonene: Detection and trans-
location of quaternary ammonium plant growth
retardants in young grapes, fruit and bean seed-
lings. J. Agric. Food Chem. 15: 488-491. PGR
- Nicholson, D. E.
1959. Determination of phthalide in products from oxi-
dation of o-xylene. Anal. Chem. 31: 1281. F
-
1960. Determination of dihydroxybenzenehydroquinone,
catechol and resorcinol. Anal. Chem. 32: 1722. F
- Niessen, H., and H. Frebse
1963. An infrared spectroscopic method for determining
residues of N-methyl carbamates in plants.
Pflanschütz-Nachr. (Bayer) 16: 205-220. I
- Nikolin, B., A. Nikolin, and D. Murko
1970. Structure of some nicotine salts and their fungi-
cidal action. Glas. Hem. Technol. Bosne Herce-
govine 18: 17-24. I,F
- Norin, K. Harold
1974. A convenient method for collecting gas-chromato-
graphic effluents for microscale infrared spectro-
photometric analysis in the gas phase. Analyst 99:
717-723. I,Fum
- Nottoli, R., and G. Taponeco
1975. Consumption of pesticides in the province Pisa
and the use of infrared spectrophotometry for
the characterization. Boll. Chim. Unione Ital.
Lab. Prov. 1(3): 138-149. I,H

Nuttall, R. H.

1968. Characteristic metal-halogen vibrational sequences of complexes with bivalent metal halides. [Review.] *Talanta* 15: 157-169. I, F

E. R. Roberts, and D. W. A. Sharp

1961. Infrared spectra of some stable diazonium salts. *Spectrochim. Acta* 17: 947-952. I, N

Nyquist, R. A.

1967. An infrared and Raman study of organophosphorus compounds: II. Vibrational spectra and assignments. *Spectrochim. Acta* 23A: 1499-1507. I

1968. Vibrational spectroscopic studies of organophosphorus compounds: $\text{Cl-CH}_2\text{-P-Cl}_2$, $\text{X-CH}_2\text{-P(=O)-X}_2$, and $\text{Cl-CH}_2\text{-P(=S)-CCl}_2$. *Appl. Spectrosc.* 22: 452-459. I

1969. Vibrational spectroscopic study of organophosphorus compounds: P-S-H and P-H groups. *Spectrochim. Acta* 25A: 47-66. I

1970. The vibrational spectrum of 1-fluoro-2,4,5-trichlorobenzene. *Spectrochim. Acta* 26A: 840-857. I

E. H. Blair, and D. W. Osborne

1967. Correlations between infrared spectra and structure: Phosphoramides and related compounds. *Spectrochim. Acta* 23A: 2505-2521. I

and R. O. Kagel

1973. Infrared spectra of inorganic compounds, 3800-45 cm^{-1} . Academic Press, Inc., New York. 495 pp. I, H, F, N

and W. W. Muelder

1968. Infrared and Raman study of O,O-dimethyl and O,O-dimethyl of Phosphorochloride thioate. *Spectrochim. Acta* 24A: 187-201. I

and W. W. Muelder

1971. Vibrational spectroscopic study of O,O-dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate. *Appl. Spectrosc.* 25: 449-456. I

- Nyquist, R. A., W. W. Muelder, and M. N. Wass
1970. Vibrational spectra of O-ethyl, O-ethyl-1,1d₂
and O-ethyl-2,2,2-d₃ phosphorodichloridothioate.
Spectrochim. Acta 26A: 769-780. I
-
- and W. J. Potts
1959. Characteristic infrared absorption frequencies
of thiol esters and related compounds.
Spectrochim. Acta 7: 514-538. I
-
- H. J. Sloane, J. E. Dunbar, and S. J. Strycker
1966. Infrared spectra of phenoxarsine derivatives.
Appl. Spectrosc. 20: 47-54. I
-
- M. N. Wass, and W. W. Muelder
1970. Vibrational spectroscopic study of CH₃-NH-P
(=)Cl₂ and its deuterium analogs. Spectrochim.
Acta 26A: 611-625. I
- Oba, Takuma
1958. The application of infrared spectra to agricultural
chemicals. Kagaku No Kyoiki Zokan 31: 119-141. I,F
-
1960. Application of infrared absorption spectroscopy
to the examination of drugs. XI. Determination
of γ-BHC contained in insecticide aerosol with
the air by liquid chromatography. Eisei Shikenjo
Hokoku 78: 25-27. I
-
1960. Application of infrared absorption spectroscopy
to the examination of drugs and their preparations.
XII. Group type analysis of the structure of the
terminal group in olefinic terpenoids. Jpn. Anal.
9: 1003-1005. I
-
1960. Identification of the propellant and synergist
in insecticidal aerosole. Anal. Chem. (Japan)
9: 348-361. IR,S
- Obremski, R. J.
1974. Infrared microsampling with low cost infrared
spectrophotometers. Beckman Instrument Co.,
Inc., Tech. Rep. 7 pp. IT
- O'Brien, R. D.
1956. The inhibition of cholinesterase and succinoxidase
by malathion and its isomers. J. Econ. Entomol.
49: 484-490. I

- O'Brien, R. D.
1957. Properties and metabolism in the cockroach and mouse of malathion and malaoxon. J. Econ. Entomol. 50: 159-164. I
- Ohsawa, Tomihiko, John R. Knox, Safy Khalifa, and J. E. Casida
1975. Metabolic dechlorination of toxaphene in rats. J. Agric. Food Chem. 23: 98-106. I
- Ohwada, Ken
1967. Infrared absorption studies on some organic phosphates. Appl. Spectrosc. 21: 332-335. I
-
1968. Infrared spectra of organic phosphates in the combination region of the C=O and P=O vibrations. Appl. Spectrosc. 22: 209. I
- Oi, Naobumi
1963. Recent advances in analysis by infrared absorption. Kagyo Kagaku Zasshi 66(1): 1543-1548. [In Japanese.] IT
-
- and Keilchiro Miyazaki
1966. Analysis of pesticides by infrared spectrometry. III. Rapid simultaneous determination of Sumithion and Sevin in dust formulations by infrared spectrophotometry. Jpn. Anal. 15(2): 167-169. [In Japanese.] I
-
- and Hiroshi Takeda
1966. Analysis of pesticides by infrared spectrometry. IV. Rapid determination of dimethoate in some formulations by infrared spectrophotometry. Jpn. Anal. 15(3): 280-285. [In Japanese.] I
-
- and Isao Umeda
1966. Analysis of pesticides by infrared spectrometry. V. Infrared spectrophotometric determination of phthalthrin isomers. Jpn. Anal. 15: 280-283. [In Japanese.] I
-
- and Isao Umeda
1966. Determination of residues of Sumithion and methyl parathion in their mixture by infrared spectrometry. Yakugaku Zasshi 86(1): 78-79. [In Japanese.] I

- Okabe, T., E. Taniguchi, and K. Maekawa
1973. Synthesis of s-triazole (4,3-a)pyrimidine derivatives. Agric. Biol. Chem. 37(2): 441-443. H,F
-
- E. Taniguchi, and K. Maekawa
1975. Spectrometric studies of 1,3,4-thiazole, 3,2-alpha pyrimidines. J. Fac. Agric. Kyushu Univ. 20(1): 7014-7017. F
- Onley, John H., George Yip, and Mary H. Aldrige
1968. A metabolic study of 3-(3,4-dichlorophenyl)-1,1-dimethylurea (diuron) applied to corn seedlings. J. Agric. Food Chem. 16: 426-435. H
- Orel, B., D. Hadzi, and F. Cabassi
1975. Infrared and Raman spectra of potassium hydrogen phthalate. Spectrochim. Acta 31A: 169-182. I
- Panzel, H., and K. Ballsehmiter
1974. Chlorinated paraffins as environmental chemicals. I. Identification and determination by IR, NMR and gas chromatography. Z. Anal. Chem. 271: 182-191. [In German.] I
- Pardie, J. R., Elizabeth Hansen, R. P. Barron, and J. Y. T. Chen
1970. Diazinon residues on field-sprayed kale. Hydroxy diazinon - a new alteration product of diazinon. J. Agric. Food Chem. 18: 405-408. I
- Parker, Frank A.
1971. Application of infrared spectroscopy in bio-chemistry, biology and medicine. Plenum Press, New York. 601 pp. IT
- Parsons, I. L., J. C. Neerman, J. R. Lifszitz, and F. R. Bryan
1958. Determination of carbon dioxide in automotive exhaust by means of infrared filter photometer. Anal. Chem. 30: 1055-1057. Fum
- Pasarella, N. R.
1964. Collaborative study of infrared methods for phorate in formulations. J. Assoc. Off. Anal. Chemists 47: 245-247. I

- Paulig, G.
1960. Infrared spectrophotometric determination of pentachloronitrobenzene residues. Deut. Lebensm.-Rundschau 56: 296-298. [In German.] F
-
1960. Rapid determination of DDT and Gamexane in flour and grain. Deut. Lebensm.-Rundschau 56: 223-224. [In German.] I
-
1961. Isolation of insecticides and fungicides by gas chromatography. Deut. Lebensm.-Rundschau 57: 42-43. I, F
-
1969. Determination of Alodan residues in grain. Z. Anal. Chem. 168: 401-406. [In German.] I, A
- Paulson, G. D., Angela M. Jacobsen, R. G. Zaylakie, and V. J. Feil
1973. Isolation and identification of Prothion (isopropyl carbanilate) metabolites from the rat and the goat. J. Agric. Food Chem. 21: 804-811. H
-
- and C. E. Portnoy
1970. Sulfate ester conjugates: A one-step method for replacing the sulfate with an acetyl group. J. Agric. Food Chem. 18: 180-181. I
-
- R. G. Zaylskie, M. V. Zehr, and others
1970. Metabolites of carbaryl (1-naphthyl methylcarbamate) in chicken urine. J. Agric. Food Chem. 18: 110-115. I
-
- and Mary V. Zehr
1971. Metabolism of p-chlorophenyl N-methylcarbamate in the chicken. J. Agric. Food Chem. 19: 471-474. I
- Payne, L. K., Jr., H. W. Stollings, and C. B. Strow, Jr.
1967. Synthesis, biological activities, and properties of syn- and anti-exo-3-chloroendo-6-cyano-2-norbornanone O-(methylcarbamoyl) oximes. Absolute structure of Tranide meticide. J. Agric. Food Chem. 15: 883-887. I, A

- Payne, W. R., and W. S. F. Cox
1966. Micro-infrared analysis of dieldrin, endrin,
and other chlorinated pesticide residues in
complex substrates. J. Assoc. Off. Anal.
Chemists 49: 989-996. I
- Perry, John A.
1970. Quantitative analysis by infrared spectrophotometry.
Appl. Spectrosc. Rev. 3(2): 229-261. IT
- Perry, A. S., and Annette J. Buckner
1959. The metabolic fate of Prolan in a Dilan resistant
strain of house flies. J. Econ. Entomol. 52:
997-1002. I
-
- A. M. Mattson, and Annette J. Buckner
1958. The metabolism of heptochlor by resistant and
susceptible house flies. J. Econ. Entomol.
51: 346-351. I
-
- Steve Miller, and Annette J. Buckner
1963. The enzymatic in vitro degradation of DDT by
susceptible and DDT resistant body lice.
J. Agric. Food Chem. 11: 457-462. I
- Pertoldi, Marletta, G. G. Bruni, and L. Coassini Lokar
1974. Application of analytical methods to the analysis
of food additives. Rass. Chim. 26(6): 330-343.
[In Italian.] I
- Petrocelli, R. M., H. Yoneda, W. Tomoko-Yajima, and
A. K. Matsunaga
1971. Separation of toxaphene and parathion in
formulations. Arq. Inst. Biol. (Sao Paulo)
38(3): 133-134. I
- Pfaender, Frederic K., and Martin Alexander
1972. Extensive microbial degradation of DDT in
vitro and metabolism by natural communities.
J. Agric. Food Chem. 20: 842-846. I
- Philippe, Roger J., and Henry Moore
1961. Infrared spectra of some alky thionitrites.
Spectrochim. Acta 17: 1004-1015. H,F
- Phillips, D. D., G. E. Pollard, and S. B. Soloway
1962. Thermal isomerization of endrin and its
behavior in gas chromatography. J. Agric.
Food Chem. 10: 217-221. I

- Philpotts, R., and W. Thain
1950. Infrared spectra of unsaturated aromatic carbinols. Nature 166: 1028. I, Fum
- Pirlot, George
1949. Application of the method of compensated extinction to the infrared spectrophotometric analysis of the γ -isomer in mixtures of hexachloro-cyclohexanes. Bull. Soc. Chim. Belges 59: 5012. [In French.] I
-
1949. Quantitative analysis of powders by infrared spectrophotometry. Bull. Soc. Chim. Belges 59: 327-351. IT
- Pliev, T. N.
1967. Identification of alkylphenol structures by infrared and ultraviolet spectra. Dokl. Akad. Nauk. SSSR 176(1): 113-115. [In Russian.] F
-
1968. Analysis of the isomeric composition of cresol and tert-butylphenols by infrared spectroscopy. Zh. Anal. Khim. 23(11): 1703-1707. [In Russian.] I, F
-
- O. N. Karpov, O. L. Glavati, and T. D. Popovich
1973. Analysis of high molecular-weight alkyl succinic anhydride for the content of succinic anhydride groups by an infrared spectroscopic method. Zh. Prikl. Spektrosk. 18(1): 94-100. [In Russian.] I
-
- A. P. Kizogub, E. V. Lebedev, and I. L. Brovin
1964. Infrared spectroscopic determination of aromatic hydrocarbons. Neft. i. Gaz. Prom., Inform. Nauchm.-Tekhn. Sb. 1964(4): 46-48. [In Russian.] IT
- Plimmer, J. R., P. C. Kearney, D. D. Kaufman, and F. S. Guardia
1967. Amitrole decomposition by free radical generating systems and by soils. J. Agric. Food Chem. 15: 996-999. H
- Pliva, J.
1959. Double-bond frequencies in the infrared spectra of terpenic compounds. Compt. Rend. Congr. Interm. Chim. Ind. 31st, Liege, 1958. (Publ. as Ind. Chim. Belge, Suppl.) 2: 654-657. I

Plyer, Earle K.

1948. Infrared prism spectrometry from 24 to 40 microns. J. Res. Natl. Bur. Standards 41: 125-128.

IT

L. R. Blaine, and Matthew Nowak

1957. Reference wavelengths for calibrating prism spectrometers. J. Res. Natl. Bur. Standards 58(4): 195-200.

IT

L. R. Blaine, and E. D. Tidwell

1955. Precise measurement of wavelengths in infrared spectra. J. Res. Natl. Bur. Standards 55(5): 279-284 (Research Paper 2752).

I,H

Poletaev, E. V., S. I. Kakmykov, and Yu A. Kushnikov

1969. Infrared spectra of fused defluorinated phosphates. Trudy Inst. Khim. Nauk, Akad. Nauk Kazakh. USSR 25: 42-47. [In Russian.]

I

Pollard, G. E.

1968. Characteristic infrared absorption bands for Diels-Alder quinone adducts and derivatives. Appl. Spectrosc. 22: 54-57.

I,F

W. M. Saltman, and Peter Yin

1955. Infrared determination of dieldrin and DDT in mixture. J. Am. Oil Chem. Assoc. 38: 478-482.

I

Polon, Pervy B., Marguerite Hester, and J. Benziger

1970. Characterization of oxychlordene, animal metabolites of chlordane. Bull. Environ. Contam. Toxicol. 5: 521-528.

I

Popov, E. M., M. I. Kabachinikm, and L. S. Mayants

1961. Vibrational spectra of organophosphorus compounds--a review. Uspekhi Khim 30: 846-876. [In Russian.]

I

T. A. Mastryukov, N. P. Rodionova, and

M. I. Kabachinik

1959. Vibration spectra of organophosphorus compounds. A contribution on the characteristic nature of the P=S frequency. Zhur. Obskchei Khim. 29: 1998-2006.

I

- Potter, J. C., and W. B. Burton
1964. Synthesis of alpha-methylbenzyl 3-dimethoxy-phosphinyloxy-crotonate labeled with phosphorus-32 and carbon-14 (Ciodrin). J. Agric. Food Chem. 12: 439-442. I
- Powell, H.
1956. Differential infrared spectrometry, its application to analysis in the petroleum industry. J. Appl. Chem. 6: 488-494. IT
- Pozefsky, A., and M. E. Grenoble
1957. The analytical chemistry of silicones in cosmetics. Drug Cosmetic Ind. 80: 752-753, 826, 832-838. IT
Proc. Sci. Sect. Toilet Goods Assoc. 27: 15-21. IT
- Prager, Manfred J., and Charles N. LaRosa
1968. Detection of trace quantities of organophosphorus compounds in air by frustrated multiple reflectance spectroscopy. Appl. Spectrosc. 22: 449-451. I
- Price, George D., E. C. Sunas, and J. F. Williams
1967. Microcell for obtaining normal contrast infrared solution spectra at the five-microgram level. Anal. Chem. 39: 138-140. PGR
- Puttnam, N. A., and B. H. Baxter
1966. Application of attenuated total reflectance infrared spectroscopy to toilet articles and household products. II. Quantitative analysis. J. Soc. Cosmet. Chem. 17: 9-11. IT
- ____ S. Lee, and B. H. Baxter
1965. Application of attenuated total reflectance spectroscopy to toilet articles and household products. I. Qualitative analysis. J. Soc. Cosmet. Chem. 16: 607-610. IT
- Querry, M. R., and R. C. Waring
1971. Effect of herbicides, pesticides, and fertilizers on the optical properties of water. U.S. Nat. Tech. Inform. Serv. PB Dep. 91 pp. I, H, F, N, R
- Rai, J. V., and K. N. Upadhya
1966. Vibrational spectra of para-fluoro- and para-chloraniaole. Spectrochim. Acta 22: 1427-1430. H

- Rai, M. M., H. D. Bist, and D. P. Khandelwal
1971. Infrared band contours and PR separations of fluorinated aromatics: 1,4-difluorobenzene. Appl. Spectrosc. 25: 442-448. I,F
- Ramdas, A. K.
1953. Infrared absorption spectra of sodium chlorate and potassium chlorate crystals. Proc. Indian Acad. Sci. 27A: 451-457. H
-
1953. The infrared absorption spectra of sodium nitrate and calcite. Proc. Indian Acad. Sci. 37A: 441-450. H
- Ramiah, K. V., and Venkata Chalapathi
1963. Infrared spectroscopic studies of amides and anilides. Proc. Indian Acad. Sci., Sect. A, 58(4): 233-243. H
- Randhawa, H. S., K. Gurudath Rao, and C. N. R. Rao
1974. Vibrational spectra and normal vibrations of methyl N-methylcarbamate and N-methylcarbamoyl halides. Spectrochim. Acta 30A: 1915-1922. I,F
- Rao, C. N. R., S. K. Dikshit, S. A. Kudehadker, and others
1976. U.S. National Bureau of Standards Spec. Publ. 428, 3 parts, total 4337 pp. [Covers infrared spectroscopy up to 1960.] IT
- Redemann, Carl T., Elinor A. Williams, H. W. Clark, Jr., and Janet T. Kaku
1966. The excretion of N-(6-chloropicolinol)glycine by dog fed with 2-chloro-6-(trichloromethyl)pyridine. J. Agric. Food Chem. 14: 530-535. I
-
- and C. R. Yeungson
1968. The partial photolysis of 6-chloropicolinic acid in aqueous solution. Bull. Environ. Contam. Toxicol. 3(2): 97-105. H
- Reedijk, J.
1971. Pyrazoles and imidazoles as ligands. Part V. Infrared and Raman spectra of 3(5)-methylpyrazole coordinated to metal (II) ions. Rec. Trav. Chem. 90: 117-136. I

- Reedijk, J., and W. C. Groeneveld
1969. Complexes with ligands containing nitrile groups. Part VII. Metal ligand vibration in methyl cyanide solvates. Rec. Trav. Chem. 87: 1079-1088. H,F
- Rethinam, P., and S. Sankaran
1973. Studies on the comparative efficiency of herbicide in rice cultivar IR-20 under different methods of planting. Proc. All India Weed Contr. Semin. 3: 22-23. H
- _____ and S. Sankaran
1975. Comparative efficiency of herbicides in rice (var IR-20) under different methods of planting. Madras Agric. J. 61(8): 317-323. H
- Rhodes, R. C., and H. L. Pease
1971. Fate of chloroneb in animals. J. Agric. Food Chem. 19: 750-753. F
- _____ H. L. Pease, and R. K. Brantley
1971. Fate of C¹⁴-labeled chloroneb in plants and soil. J. Agric. Food Chem. 19: 745-749. F
- _____ R. W. Reiser, J. A. Garniner, and Henry Sherman
1969. Identification of the metabolites of terbacil in dog urine. J. Agric. Food Chem. 17: 974-979. H
- Richey, F. A., Jr., W. J. Bartley, J. T. Fitzpatrick, and A. P. Kurtz
1972. Chemical synthesis of the carbaryl metabolite trans-5,6-dihydro-5,6-dihydroxy-1-naphthyl methylcarbamate. J. Agric. Food Chem. 20: 825-828. I
- Rinne, R. W., S. Gibbons, J. Bradley, and others
1975. Soybean protein and oil percentages determined by infrared analysis. U.S. Agric. Res. Serv., North-central Reg. Rep. ARS-NC-26. 4 pp. IT
- Robbins, J. D., J. E. Bakke, and V. J. Feil
1969. Metabolism of 4-benzothienyl N-methylcarbamate (Mobam) in rats. J. Agric. Food Chem. 17: 236-242. I

- Robbins, J. D., J. E. Bakke, and V. J. Feil
1970. Metabolism of 4-benzothienyl N-methyl-carbamate (Mobam) in dairy goats and a lactating cow. J. Agric. Food Chem. 18: 130-134. I
- Robinson, D. Z.
1952. Quantitative analysis with infrared spectrophotometers. Anal. Chem. 24: 619-622. I, Fum
- Robinson, J.
1971. Organochlorine compounds in man and his environment. Proc. Soc. Anal. Chem. 8(4): 57-58. I
- Rochkind, Mark M.
1967. Infrared analysis of multicomponent gas mixtures. Anal. Chem. 39: 567-574. IR
- Rodney, William S., and Irving H. Malitson
1956. Refraction and dispersion of thallium bromide iodide. J. Optic. Soc. Am. 46: 956-961. IT
- Rogstad, Astri
1975. Vibrational analysis of some 4-substituted 2-fluorothiophenes. Spectrochim. Acta 31A: 1749-1758. I
- Roosens, A.
1950. Infrared absorption spectra of some triazine derivatives. Bull. Soc. Chim. Belges 59: 377-388. H, F
- Rosen, A. A., and F. M. Middleton
1959. Chlorinated insecticides in surface waters. Anal. Chem. 31: 1729-1732. I
- Rothschild, W. G.
1964. Pure rotational absorption spectrum of HF vapor between 22 and 250 μ . J. Optic. Soc. Am. 54: 20-22. Fum
- Rummens, F. H. A.
1975. Separation and structural assignment of the cis- and trans-isomers of S-2,3-dichloro-allyldisopropyl thiocarbamate Diallylate. Weed Sci. 23(1): 7-10. H

Rund, Robert G.

1962. Spectrophotometric method for rotenone.
J. Assoc. Off. Anal. Chemists 45: 524-526. I

-
1963. Infrared and ultraviolet spectrophotometric methods for rotenone. J. Assoc. Off. Anal. Chemists 46: 668-672. I

and L. G. Hambleton

-
1965. Collaboration study of rotenone methods.
J. Assoc. Off. Anal. Chemists 48: 566-569. I

Russell, J. W., M. Bishop, and J. Limburg

1969. Vibration spectra of N-chloroaziridine and N-bromoaziridine. Spectrochim. Acta 25A: 1929-1939. F

Saha, J. G., and Y. W. Lee

1969. Isolation and identification of the compounds of commercial chlordan formulation. Bull. Environ. Contam. Toxicol. 4(5): 285-296. I

Sammul, Oscar R., Wilson L. Brannon, and Alma L. Hayden

1964. Infrared spectra of some compounds of pharmaceutical interest. J. Assoc. Off. Anal. Chemists 47: 918-991. I, F, N

Samuel, Boyd

1961. Modification of Knoerlein infrared method for rotenone. J. Assoc. Off. Anal. Chemists 44: 580-581. I

Sanchez, A., Wolf Mathis, and F. Mathis

1967. Intersite d'absorption de la vibration de valence P-H des composés organiques du phosphore. Spectrochim. Acta 23A: 2617-2630. [In French.] I

Nitish K., and A. N. Pandey

1973. Near ultraviolet and infrared absorption spectra of 3,5-dichlorophenol. Indian J. Pure Appl. Phys. 11(12): 913-917. H

Sassaman, W. A., and S. P. Cohen

1954. Ultraviolet and infrared spectrophotometric analysis of an insect repellent mixture. Appl. Spectrosc. 8: 67-70. I, IR

- Sasse, K.
1960. A new group of non-phosphorus acaricides.
Höfchen-Briefe (Bayer) 13: 197-206. I,A
- Savage, H. R., J. B. Butt, and J. A. Tallmadge
1966. The absorption spectra and determination
hexanitrodiphenylamine complexes of potas-
sium, sodium, calcium and magnesium.
Analyst 91: 714-718. F
- Sawodny, W., J. B. Hynes, J. W. Dawson, and K. Niedenzu
1969. Infrared spectra of some perfluoroalky-
substituted fluoro-s-triazines. Appl.
Spectrosc. 23: 29-31. H
- Scheddel, R. T.
1958. Analysis of phenol, cyclohexane, cyclo-
hexanol mixture. Anal. Chem. 30: 305. I,F
- Scherer, J. R.
1967. A transferable force-field for out-of-
plane vibrations of chlorinated benzenes.
Spectrochim. Acta 23A: 1489-1497. I
-
- _____ and John C. Evans
1963. Vibrational spectra and assignments for
sixteen chlorobenzenes. Spectrochim. Acta
19: 1739-1775. I,A,H
- Schmidt, C. H., and Paul A. Dahm
1956. The synthesis of C¹⁴-labeled piperonyl
butoxide and its fate in the Madeira
roach. J. Econ. Entomol. 49: 729-735. I,S
- Schnitzerling, H. J., W. J. Roulston, and C. A. Scherntuer
1970. The absorption and metabolism of (C¹⁴) DDT
and DDT-resistant and susceptible strains of the
cattle tick (Boophilus microplus). J. Biol. Sci.
23: 219-230. I
- Schrader, G.
1960. Development of the Bayer product "S-1752."
Höfchen-Briefe (Bayer) 13: 1-13. I
- Schwarz, H. P., R. C. Childs, L. Dreisbach, and others
1958. KBr disk technique for infrared micro-
analysis with freeze drying of samples
soluble in organic solvents but insoluble
in water. Appl. Spectrosc. 12: 35-38. IT

- Seeber, R. E., J. L. Alexander, and H. J. McCarthy
1959. Determination of 2-nitronaphthalene in 1-nitronaphthalene. Anal. Chem. 31: 316.
[Infrared data.] IT
-
- _____ and R. C. White
1959. Determination of Thianaphthene in naphthalene. Anal. Chem. 31: 621. IT
- Segal, Leon, and F. V. Eggerton
1961. Infrared spectra of diethylenetriamine and 2-(2-aminoethylamino)ethanol. Appl. Spectrosc. 15: 138-150. IT
- Sekul, A. A., and A. N. Sparks
1967. Sex pheromone of the fall armyworm moth: Isolation, identification, and synthesis. J. Econ. Entomol. 60: 1270-1272. I
- Sen Gupte, Anil K., and C. O. Knowles
1969. Metabolism of N'-(4-chloro-o-tolyl)-N,N-dimethylformamidine. J. Agric. Food Chem. 17: 595-600. I,A
- Sergeeva, A. N., L. I. Pavlenko, L. N. Kogut, and I. I. Tkachenko
1973. Infrared absorption spectra of cyanide complexes of group VIII metals with nitrogen and sulfur containing ligands. J. Mol. Struct. 18(2): 513-519. I,F
- Shanghai Institute of Pesticide Agriculture and Antibiotics Group.
1975. Isolation and identification of Jinggangmycins. Acta Microbiol. Sin. 15(3): 223-226. F
- Sharpless, Norman E., and Dolores A. Gregory
1963. Physical state influences in the intensity of infrared absorption bands. Appl. Spectrosc. 17: 47-50. IT
- Shearer, D. A., B. C. Stone, and W. A. McGufal
1963. Collection of gas-chromatographic fractions for identification by infrared spectrophotometry. Analyst 88: 147-149. IT
- Shevchenko, L. L.
1963. Infrared absorption spectra of metallic acetates. Ukr. Khim. Zh. 29(12): 1247-1250. [In Russian.] I,F

- Shimabukuro, R. H., R. E. Kadunce, and D. S. Frear
1966. Dialkylolation of atrazine in mature pea plants.
J. Agric. Food Chem. 14: 393-395. H,F
- Shimozawa, J. T., and M. K. Wilson
1966. Infrared intensity measurements - II. Chloro-
ethylenes. Spectrochim. Acta 22: 1599-1608. I,Fum,N
- _____ and M. K. Wilson
1966. Infrared intensity measurements - III. Correla-
tion functions of chloroethylenes. Spectrochim.
Acta 22: 1609-1614. I,Fum,N
- Shurvell, H. F.
1965. Infrared spectra of the 2,4,6-tricyanophenyl,
1,3,5-triazines. Spectrochim. Acta 21:
2141-2143. I,H
- Siddall, T. H., III, and C. A. Prohaska
1967. Carbamylphosphonates and related compounds--
nuclear magnetic resonance and infrared spectra.
Appl. Spectrosc. 21: 9-15. I
- _____ and T. N. Wilhite
1966. Infrared spectra of cyclic phosphonate esters.
Appl. Spectrosc. 20: 47-54. I
- Sidorov, A. N., and A. N. Terenin
1961. Infrared spectra of phthalocyanines. J. Optic.
Soc. Am. 11: 175-179. I,S
- Siewierski, M., and K. Helrich
1967. Separation, identification, and measurement of
DDT and its metabolites. J. Assoc. Off. Anal.
Chemists 50: 627-633. I
- Silverstein, R. M., J. Otto Rodin, and D. L. Wood
1967. Methodology of isolation and identification
of insect pheromones with reference to
studies on California five-spined ips.
J. Econ. Entomol. 60: 944-949. I
- Simonov, V. D., F. A. Mamina, A. I. Gerasimova, and others
1972. Determination of basic substances in herbicidal
preparations of Yalan (molinate). Probl. Anal.
Khim. 2: 138-142. [In Russian.] H
- Single, Joginder
1969. Conversion of Heptachlor to its epoxide.
Bull. Environ. Contam. Toxicol. 4: 77-79. I

- Sinko, Goto, and Rokuro Sato
1963. Routine methods of quantitative infrared analysis of aldrin, Tedion, heptochlor, Dibrom and DEP. Jpn. Anal. 12: 238-241. I
- Sjoberg, B.
1950. Determination of chloro-2-methylenoxyacetic acid by infrared spectrophotometry. Acta Chem. Scand. 4: 798-805. H
- Skipper, H. D., V. V. Volk, and R. Rech
1976. Hydrolysis of a chloro-S-triazine herbicide. J. Agric. Food Chem. 24: 126-129. H
- Sleator, W. W.
1931. New absorption bands of ammonia, methyl bromide, methyl iodide and carbon dioxide in the infrared spectrum. Phys. Rev. 38: 147-151. IR
- Sloane, H. J., T. H. Johns, W. F. Ubrich, and W. J. Cadman
1965. Infrared examination of micro samples; application of specular reference system. Appl. Spectrosc. 19: 130-135. IT
- Smith, A. L., and J. A. McHard
1959. Spectroscopic technique for identification of organosilican compounds. Anal. Chem. 31: 1174-1179. I, F
- Smith, C. L.
1952. Report by chairman of benzene hexachloride committee. Natl. Agric. Chem. Assoc. (U.S.) I
- Smith, Grant N., B. J. Thiels, and P. D. Ludwig
1963. The isolation and identification of the amino-nitro-o-toluamide formed by the biological reduction of 3,5-dinitro-o-toluamide. J. Agric. Food Chem. 11: 257-260. IR
- Smith, W. T., Jr., and Anthony Wu
1968. Infrared spectra of sulfinamides. Appl. Spectrosc. 22: 346-347. IT
- Soeda, Yoshinori, S. Kato, D. Takiguchi, and others
1972. Synthesis of radio-labeled ethyl O-benzoyl-3-chloro-2,6-dimethoxy-benzohydroximates: Oxime ^{14}C , carbonyl- ^{14}C , and 2-methoxy- ^{14}C . J. Agric. Food Chem. 20: 936-939. I, A

- Soeda, Yoshinori, Daigaku Takiguchi, S. Kosaka, and
T. Noguchi
1972. Synthesis of ^{14}C - or ^{35}S -labeled dialkyl 4,
4'-o-phenylenebis(3-thioalkophanate)
(thiophanates). J. Agric. Food Chem. 20:
940-943. F
- Sonawane, B. R., and C. C. Knowles
1971. Phenmedipham and m-aminophenol decomposition
in alkaline soil. Bull. Environ. Contam.
Toxicol. 6: 322-325. H
- Soptrajanov, B., and G. E. Ewing
1966. Infrared and Raman spectra of 1,2,5-thiabiazole.
Spectrochim. Acta 22: 1417-1426. H
- Sparagana, Mario, and W. B. Mason
1962. Infrared microspectrophotometry using reflecting-
type 6X beam condensing optics in reference and
sample beams. Anal. Chem. 34: 242-249. IT
- Spell, H. L.
1967. The infrared spectra of N-substituted aziridine
compounds. Anal. Chem. 39: 185-193. H,F
- Spencer, R. Donald
1965. The infrared spectra of four closely related
triaryl s-triazines. A planar system of
single-bonded rings. Spectrochim. Acta 21:
1543-1561. H
- _____ and B. H. Beggs
1963. Determination of four closely related triaryl-
s-triazines by infrared spectrometry. Anal.
Chem. 35: 1633-1636. H
- Spencer, E. Y., R. D. O'Brien, and R. W. White
1957. Permanganate oxidation products of schradon.
J. Agric. Food Chem. 5: 123-127. I,A
- Srivastava, T. N., and S. K. Tandon
1971. Infrared spectra of triphenyltin compounds in
the 650-200 cm^{-1} region. Spectrochim. Acta 27A:
593-597. F,M
- Srivastava, Y. P.
1968. Electronic absorption spectrum of o-dibromobenzene
vapor. Appl. Spectrosc. 22: 588. IR

Stanescu, Gratiela

1962. Determination of aldrin by means of infrared spectrophotometry. Rev. Chim. (Bucharest) 13(6): 370-371.

I

_____ and A. Scare

1973. Infrared spectrophotometric method for the determination of some thiocarbamate herbicides. Rev. Chim. (Bucharest) 24(6): 463-465.

H

Stavric, B., and G. A. Neville

1970. A re-examination of the by-product obtained during the preparation of DDA and unequivocal differentiation of DDE and DDNU. J. Assoc. Off. Anal. Chemists 53: 1270-1275.

I

Stepanova, A. A., and G. D. Litouchenko

1968. Infrared determination of "chlorothiophosphates" in mixtures obtained during the manufacture of coumaphos. Zav. Lab. 36(2): 177-178.

I

Stepen, R. A., Yu I. Khol'kin, and G. N. Chernyacva

1966. Infrared spectroscopic study of the oxidation of furfural. Sb. Dokl. Sib. Saveshch. Speklrosk., 3rd Krasnoyarsk, USSR 1964, pp. 242-246. [In Russian.]

I

Stewart, Richard D., and D. S. Erley

1963. Detection of toxic compounds in humans and animals by rapid infrared techniques. J. Forensic Sci. 8: 31-45.

I

_____ and D. S. Erley

1965. Detection of volatile organic compounds and toxic gases in humans by rapid infrared techniques. In Progress in chemical toxicology, A. Stolman (ed.), vol. 2, pp. 183-220. Academic Press, New York.

Fum

Still, G. G., and S. R. Manager

1973. Metabolism of iso-propyl carbanilate by soybean plants. Pest Biochem. Physiol. 3(3): 289-299.

Fum

Stroditz, N. H., and R. E. Henry

1961. Special techniques for the determination of extractables from packaging materials. In Instrumental methods for the analysis of food additives, W. H. Butz and H. J. Noebels (eds.), pp. 85-94. Interscience Publishers, New York.

I,F

- Stufkens, D. J.
1970. The Raman and infrared spectra of AsBr_3 in liquid and solid phase. Rec. Trav. Chim. 89: 755-763. I,H,F
- Su, George C. C., and Matthew J. Zabik
1972. Photochemistry of bioactive compounds; photolysis of arylamidine derivatives in water. J. Agric. Food Chem. 20: 320-323. I
- Sumiki, Y., and A. Matsugama
1957. Infrared spectrophotometric determination of traces of parathion in water. Bull. Agric. Chem. Soc. (Japan) 21: 329-331. I
- Susi, H., and H. E. Rector
1958. Quantitative infrared analysis of pesticide in the solid state. Anal. Chem. 30: 1933-1935. I,H
- Suydam, F. H.
1963. The CN stretching frequency in Azomethines. Anal. Chem. 35: 193-195. I,Fum,A
- Sztark, Wanda
1975. Infrared spectroscopic analysis of thiuram disulfide fungicides. II. Mixed preparation of thiuram disulfide and dithiocarbamate. Anal. Chem. Acta 77: 298-304. [In German.] I,F
-
1975. Infrarotspektroskopische Analyse von Thiuramdisulfidfungiciden. Teil I. Identifizierung und Bestimmung von Thiuram. Anal. Chem. Acta 75: 315-321. [In German.] F
-
1975. Quantitative infrared determination of tetra-alkyl thiuram derivatives. Chem. Anal. (Warsaw) 20(1): 19-25. F
-
- H. Malissa, and R. Kellner
1973. Direct qualitative and quantitative infrared spectroscopic analysis of zinc dialkyl dithiocarbamates without prior separation. Anal. Chem. Acta 63(2): 285-293. [In German.] F

- Szymanski, H. A., L. Marabella, J. Koke, and J. Harter
1968. Infrared and Raman studies of arsenic compounds. Appl. Spectrosc. 22: 297-304. I,F
- Takahashi, Nobataka, Akinori Zuzuki, Yasuo Kimura, and others
1966. Isolation, structure and physiological activities of Piericidin; national insecticide produced by a Streptomyces. Agric. Biol. Chem. 32: 1115-1122. I
- Takaohi, Komiya, Shunro Kawakishi, Hiroo Acki, and Mitsuo Namiki
1970. Radiolysis products of p-bromophenol in aqueous solution by s-irradiation. Agric. Biol. Chem. 34: 349-356. IT
- Tallant, D. R., and D. H. Evans
1969. Application of infrared internal reflection spectrometry to studies of the electro-chemical reduction of carbonyl compounds. Anal. Chem. 41: 835-838. IT
- Tanaka, A., and Y. Fujimoto
1974. Colorimetric determination of biphenyl based on the Janovsky reaction. Agric. Biol. Chem. 38(9): 1575-1579. F
- Tanaka, Masao, C. Nishiyama, H. Omatsu, and S. Oka
1971. Continous monitor of SO₂ in fuel gas by non-dispersive infrared gas analyzer test in Japan. Shimazu Hyoron (Shimazu Rev.) 28(2): 59-63. [In Japanese.] F,A,Fum
- Tarasov, V. V., A. Yu Kondrat'ev, S. S. Dubov, O. G. Strukov, and S. Z. Ivin
1969. The behavior of methyl group absorption bands in the infrared spectra of organophosphorus compounds. Zh. Vses. Khim. Obshchest. 14: 116-117. [In Russian.] I
- Terziev, G., M. Popva, and L. Burzeva
1970. An experimental study of acute poisoning with Dimecron. Khig Zdraveopazvane 13(2): 124-131. [In French.] I,A

- Tetlow, K. S.
1949. Azobenzene. Part II. Infrared spectra of slurries of cis- and trans-azobenzene. Research (London), Supplement 3,4, pp. 187-188. I,A
- Theus, P. M.
1972. The problem of the analysis of disinfectant residues with emphasis on quaternary ammonium compounds. A. Gesamte Hyg. Grenzgeb 18(9): 659-661. I,H,F
- Thomas, D. N.
1960. Analysis of 2,4,5-trichlorophenoxyacetic acid isopropyl ester and 2,4,5-trichlorophenoxyacetic acid butyl ester mixtures. Anal. Chem. 32: 441. H
- Thomas, L. C.
1974. Interpretation of the infrared spectra of organophosphorus compounds. Hayden, New York. 276 pp. I
-
- L. Austin, and D. R. Davies
1954. The examination of nervous tissues by infrared spectrophotometry. Spectrochim. Acta 6: 320-330. I
-
- and Rosemary A. Chittenden
1964. Characteristic infrared absorption frequencies of organophosphorus compounds. I. The phosphoryl (P=O) group. Spectrochim. Acta 20: 467-487. I
-
- and Rosemary A. Chittenden
1964. Characteristic infrared absorption frequencies of organophosphorus compounds. II. P-O-(X) bonds. Spectrochim. Acta 20: 489-502. I
-
- and Rosemary A. Chittenden
1965. Characteristic infrared absorption frequencies of organophosphorus compounds. V. Phosphorus-carbon bonds. Spectrochim. Acta 21: 1905-1914. I
-
- and Rosemary A. Chittenden
1970. Characteristic infrared absorption frequencies of organophosphorus compounds. VII. Phosphorus ions. Spectrochim. Acta 26A: 781-800. I

Thompson, H. W., and R. B. Temple

1948. Infrared spectra of fluorinated hydrocarbons. Part II. Methyl fluoroform (1:1:1-trifluoroethane). J. Chem. Soc. (London), pp. 1428-1431.

I

and R. B. Temple

1948. Infrared spectra of fluorinated hydrocarbons. Part III. Fluorinated cyclohexane, methylcyclohexane, n-pentane, and 2:3-dimethylpentane, o,m, and p-fluoro- and 2:4-difluorotoluene; benzotrifluoride, m- and p-fluoro- and 2:5-difluoro-benzotrifluoride. J. Chem. Soc. (London), pp. 1432-1436.

I,F

and R. B. Temple

1948. The vibrational spectra and thermodynamic properties of chlorofluoromethanes. J. Chem. Soc. (London), pp. 1422-1428.

I,Fum

and D. H. Whiffen

1948. The infrared examination of some terpenoid substances. J. Chem. Soc. (London), pp. 1412-1416.

I

Thompson, W. K.

1962. Infrared absorption spectra of dimethyl sulfoxide solutions. I. Heterocyclic amines. J. Chem. Soc. (London), pp. 617-621.

I

Tolk, A.

1961. The alkali halide disk technique in infrared spectrometry. Anomalous behaviour of some samples dispersed in alkali halide disks. Spectrochim. Acta 17: 511-522.

IR,F

Tomlin, Alan D.

1968. Trans-aldrin glycol as a metabolite of dieldrin in larvae of the southern house mosquito. J. Econ. Entomol. 61: 855-857.

I

Torkington, P., and H. W. Thompson

1945. The infrared spectra of fluorinated hydrocarbons. Trans. Faraday Soc. 41: 236-246.

R

Trenner, N. R., R. W. Walker, Byron Arison, and R. P. Buhs

1949. Determination of gamma isomer of benzene hexachloride. Anal. Chem. 21: 285-290.

I

- Trombetti, G., and T. Gordini
1971. Quantitative determination of the gamma-isomer of BHC in technical products and formulations. J. Chromatogr. 60(2): 251-252. I
- Tsubaki, M.
1970. Medico-legal studies on organochloric [sic] pesticides. Nippon Hoigaku Zasshi 24(2): 89-104. [In Japanese.] I
- Tsuynki, Hiroshi, Mark A. Stahmann, and John E. Casida
1955. Preparation, purification, isomerization and biological properties of octamethyl pyrophoramide N-oxide. J. Agric. Food Chem. 3: 923-932. I,A
- Turk, Amos, and A. Van Doren
1953. Saturation of activated carbon used for air purification. J. Agric. Food Chem. 1: 145-151. IT
- Ungan, S.
1975. A new technique for the frequency-structure correlations in infrared spectroscopy. I. Monosubstituted benzene. J. Pure Appl. Sci. 8(3): 305-311. Fum
- Union Carbide Chemicals Company
1962. Infrared spectroscopic method of analysis for Sevin insecticide formulations. Mimeo. I
- Upham, S. D.
1960. Methods for determining malathion. J. Assoc. Off. Anal. Chemists 43: 360-364. I
- Urone, Paul F., and Mary L. Druschel
1952. Infrared determination of chlorinated hydrocarbon vapors in air. Anal. Chem. 24: 626-630. Fum
- Van Alfen, Neal K., and Tsune Kosuge
1974. Microbial metabolism of the fungicide 2,6-dichloro-4-nitroaniline. J. Agric. Food Chem. 22: 221-224. F

- Van Peterghem, C. H., and A. M. Heyrdoickx
1975. Spectroscopic properties of the methyl esters of chlorophenoxy acid herbicides. J. Assoc. Off. Anal. Chemists 58: 1001-1012. H
- Vasil'ev, A. F., G. A. Pivovarov, V. V. Voronkova, and G. S. Supin
1968. Main trends in the development of instrumental methods for the analysis of residual quantities of pesticides. Zh. Vses. Khim. Ob-va Mendeleeva 13(3): 301-310. I,H,F
- Vedder, Willem
1958. Infrared absorption spectrum of the ammonium ion in lattice of the sodium chloride type. U.S. Dep. Commer., Off. Tech. Serv. PB Rep. 143,474. 96 pp. I,F
- Verma, V. N., and D. K. Rai
1970. Vibrational spectra of isomeric aminophenols. Appl. Spectrosc. 24: 445-449. H
- Villanueva, E. C., V. W. Burae, and R. W. Jennings
1973. Chlorodibenzo-p-dioxin contamination of two commercially available penta-chlorophenols. J. Agric. Food Chem. 21: 739-740. H,M
- Villeneuve, D. C., C. Mulkins, K. A. McCully, and W. P. McKinley
1969. The inhibition of beef liver hydrolytic enzymes by organophosphorus pesticides. A comparison of the effects of several pesticides and their oxons on the inhibition response. Bull. Environ. Contam. Toxicol. 4: 39-47. I
- Vis, Jan H., and Phyllis Meinke
1969. Infrared and proton nuclear magnetic resonance spectra of hydrazinium phosphates. Appl. Spectrosc. 23: 69-71. I,F
- Vohland, H. W., P. E. Schulze, W. Koransky, and others
1974. Metabolism of pentetrazole in the rat: Isolation and identification of the main metabolites from urine. Hoppe-Seyler Z. Physiol. Chem. 355: 1274-1280. [In German.] IT

- Vomhof, Daniel W., and J. H. Thomas
1970. Determination of moisture in starch hydrolyzates by near-infrared and infrared spectrophotometry. Anal. Chem. 42: 1230-1233. IT
- Vornheder, P. F., and W. J. Brabbs
1970. Moisture determination by near-infrared spectrometry. Anal. Chem. 42: 1454-1456. IT
- Wada, Kojiro, and Kalsura Munakata
1968. Naturally occurring insect control chemicals. Isoboldine, a feeding inhibitor, and co-oculolidine, an insecticide, in the leaves of Cocculus trilobus D.C. J. Agric. Food Chem. 16: 471-474. I
- Waggoner, T. B.
1972. Metabolism of NemaCur (ethyl 4-(methylthio) M-tolyl isopropylphosphoramidate) and identification of two metabolites in plants. J. Agric. Food Chem. 20: 157-160. N
- Wakamori, Shigeki, Yoshio Yoshio Yoshida, and Yoshio Ishii
1960. Benzyl ester of N-substituted dithiocarbamic acids and related compounds. Agric. Biochem. 33: 1367-1376. F
- Walker, Glen, Wray Winterlin, Bassan Fouda, and James Seiber
1974. Gas chromatographic analysis of urethan (ethyl carbamate) in wine. J. Agric. Food Chem. 22: 944-947. H
- Wallnoefer, P.
1969. The decomposition of urea herbicide by Bacillus sphacericus isolated from soil. Weed Res. 9(4): 333-339. H
- Wang, Tze Seng
1968. Infrared absorption of the carbonyl group of semi-carbazides, semi-carbazones, and pyrazolecarboxamides. Appl. Spectrosc. 22: 167-169. I, H, F
- Wapensky, L. A.
1969. Collaborative study of gas chromatographic and infrared methods for Dacthal formulations. J. Assoc. Off. Anal. Chemists 52: 1284-1292. H

- Wapensky, L. A.
1969. Note on the infrared analysis of Dacthal in formulations. J. Assoc. Off. Anal. Chemists 52: 874-875. H
- Ward, W. R., and A. R. Philpotts
1958. Errors in infrared absorption analysis due to solute-solvent interactions. J. Appl. Chem. 8: 265-268. IT
- Ware, J. H.
1961. Determination of malathion in formulations. J. Assoc. Off. Anal. Chemists 44: 608. I
- Washburn, W. H.
1958. Determination of chlorcyclizine and Pramoxine in mixtures. Anal. Chem. 30: 304. I,H,F
-
1958. Determination of N-(beta-hydroxyethyl) phenylacetamide in presence of ethyl-nolamine and ethyl phenylacetate. Anal. Chem. 30: 305. I,H,F
-
- and M. J. Mahoney
1958. Use of substitute standards in infrared differential spectrophotometry. Anal. Chem. 30: 1053-1055. IT
-
- and F. A. Scheske
1957. Determination of traces of ketone in a carbinol by differential infrared analysis. Anal. Chem. 29: 346-347. IT
- Weidner, James P., and Seymour S. Block
1969. Infrared spectra of zinc sulfinates. Appl. Spectrosc. 23: 337-341. I,F
- Weinkauff, O. J., R. W. Radus, R. E. Keller, and H. R. Crane
1961. Identification of caffeine as natural or synthetic. J. Agric. Food Chem. 9: 397-401. IT
- Weinmann, W. D.
1970. Analytical method for determination of alpha- and beta-endosulfan in the technical product and in the formulation. Nachrbl. Deut. Pflansc. (Stuttgart) 22(2): 24-28. [In German.] I

- Wenninger, John A., and Ronald L. Yates
1967. High resolution infrared spectra of some naturally occurring sesquiterpene hydrocarbons. J. Assoc. Off. Anal. Chemists 50: 1313-1335. I
-
- and Ronald L. Yates
1970. High resolution infrared spectra of some naturally occurring sesquiterpene hydrocarbons. II. Second series. J. Assoc. Off. Anal. Chemists 53: 949-963. I
- Westlake, A., F. A. Gunther, and W. E. Westlake
1969. Conversion of the insecticide ciodrin to acetophenone for microdeterminations. J. Agric. Food Chem. 17: 1157-1159. I
- Wheaton, G. A., L. J. Stoel, N. B. Stevens, and C. W. Frank
1970. Optical spectra of phenazine, 5,10-dihydrophenazine, and the phenazhydrins. Appl. Spectrosc. 24: 339-343. F
- Wheeler, Owen H.
1959. Near infrared spectra of organic compounds. Chem. Rev. 56(4): 629-666. I,H,F,N
- Whetsel, Kermit B., M. Krell, and F. E. Johnson
1957. Infrared analysis of commercial butylated hydroxanisols. J. Agric. Food Chem. 5: 602-604. IT
-
- W. E. Roberson, and Max W. Krell
1957. Near-infrared analysis of N-alkyl-N-hydroxyalkyl aromatic amine mixtures. Anal. Chem. 29: 1006-1007. H,F,N
-
- W. E. Roberson, and Max W. Krell
1960. Analysis of mixtures of N-ethylaniline and N-ethyl-N-2-(hydroxyethyl) aniline. Anal. Chem. 32: 888. H
- Whiffen, D. H., and H. W. Thompson
1948. Infrared analysis of stereoisomers of benzene hexachloride (hexachlorocyclohexane). J. Chem. Soc. (London), pp. 1420-1422. I

White, D. W.

1968. The chemical characteristics of petroleum products used in crop protection applications. World Rev. Pest Control 7(3): 144-154.

I,F

White, E. R., Elaine A. Bose, J. M. Ogawa, and others

1973. Thermal and base-catalyzed hydrolysis products of the systemic fungicide, Benomyl. J. Agric. Food Chem. 21: 616-618.

F

____ W. W. Kilgore, and G. Mallett

1969. Phygon: Fate of 2,3-dichloro-1,4-naphthoquinone in crop extracts. J. Agric. Food Chem. 17: 585-586.

F

____ and Wendell W. Kilgore

1972. Determination of systemic MBC residues in food crops. J. Agric. Food Chem. 20: 1230-1232.

H

White, Robert G.

1964. Application of infrared spectrometry in the analysis of pesticides. In Handbook of industrial infrared analysis, R. G. White (ed.), pp. 322-326. Plenum Press, New York.

I,H,F

White, T. T., and G. G. McKinley

1960. Infrared determination of phosdrin insecticide or methyl parathion in formulations. Shell Chemical Company, Agricultural Chemistry Dep., Union, N.J.

I

____ and G. G. McKinley

1961. Determination of aldrin, dieldrin or endrin in formulations. J. Assoc. Off. Anal. Chemists 44: 591-595.

I

Whitehead, Everett S.

1969. Quantitative infrared determination of ammonium ion in hydroxylamine sulfate. Anal. Chem. 41: 829-831.

H

Wiberley, S. E., and Stanley C. Bunce

1952. Infrared spectra in identification of derivatives of cyclopropane. Anal. Chem. 24: 623-625.

F,Fum

- Wiberley, S. E., J. W. Sprague, and J. E. Campbell
1957. Quantitative infrared analysis of solids
in potassium bromide using an internal
standard. Anal. Chem. 29: 210-213. H,F,IT
- Wilhite, R. N., and R. F. Ellis
1963. The infrared determination of nitrate ion
in aqueous solutions by attenuated total
reflection. Appl. Spectrosc. 17: 168. IT
- Wilks, P. A., Jr., and T. Hirschfeld
1967. Internal reflection spectroscopy. Appl.
Spectrosc. Rev. 1(1): 99-130. IT
- Williams, P. P., and Vernon J. Feil
1971. Identification of trifluralin metabolites
from rumen microbial cultures. Effect of
trifluralin in bacteria and protozoa. J. Agric.
Food Chem. 19: 1198-1204. F
- Wilson, H. William, and Nadav Friedmann
1974. The infrared spectra and vibrational
assignments of crystalline 1,2-, 1,3-,
and 1,4-naphthalenediols. Appl. Spectrosc.
28: 418-420. PGR
- Winterlin, Wray, Charles Mourer, and Herman Beckman
1970. Analysis of Phosdrin in vegetables using
gas-liquid chromatography. J. Agric. Food
Chem. 18: 401-404. I
- Witmer, F. J., D. N. Thomas, and J. B. Verneti
1959. Analysis of butoxy ethoxy propyl esters
of 2,4-dichlorophenoxyacetic acid and
2,4,5-trichlorophenoxyacetic acid mixtures.
Anal. Chem. 31: 1280. H
-
- _____ D. N. Thomas, and J. B. Verneti
1959. Analysis of iso-oxyl esters of 2,4-
dichlorophenoxy acetic acid and 2,4,5-
trichlorophenoxy acetic acid mixtures.
Anal. Chem. 31: 1924. H
-
- _____ D. N. Thomas, and J. B. Verneti
1960. Infrared analysis of various phenoxyacetic
acids. Anal. Chem. 32: 887. H

- Wolfenbarger, D. A., and T. N. Shaver
1973. An infrared spectrophotometric technique for determination of residues of several organophosphorus insecticides from cotton foliage. J. Econ. Entomol. 66: 332-336. I
- Woolson, Edwin A., Ronald F. Thomas, and Peter D. J. Ensor
1972. Survey of polychlorodibenzo-p-dioxin content in selected pesticides. J. Agric. Food Chem. 20: 351-354. H
- Wright, Norman
1941. Application of infrared spectroscopy to industrial research. Anal. Chem. 13: 1-8. Fum
- Wright, R. H.
1956. Physical basis of insect repellency. Nature 178: 638. IR
- Wrostad, R. E., and W. G. Jennings
1964. Sources of monoterpene hydrocarbons. J. Agric. Food Chem. 12: 507-511. I
- Yamada, Haruka, Masao Saheki, S. Fukushima, and T. Nagasao
1974. The vibrational spectra of the chloranil crystal. Spectrochim. Acta 30A: 295-309. F
- Yu, M. Shchekochikhin
1966. Infrared spectroscopic study of the reaction of some aliphatic alcohols with a zinc oxide surface. Sb. Dekl. Sib. Soveshch. Spektrosk., 3rd Krasnoyarsk, USSR 1964, pp. 253-256. [In Russian.] I,A
- Zabik, Matthew, Jr., R. D. Schultz, Wendel L. Burton, and B. E. Pape
1971. Studies of a major photolytic product of endrin. J. Agric. Food Chem. 19: 308-313. I
- Zengin, Numan, and Paul A. Giguere
1959. Infrared spectrum of crystalline H₂S₂. Can. J. Chem. 37: 632-634. Fum
- Zerbairi, M. Yamun, and John E. Casida
1965. Detoxication of Dimetilan in cockroaches and house flies. J. Econ. Entomol. 58: 403-409. I

Zuzuki, Shin-Ichi, J. Meyamoto, Keimui Fujimoto,
and others

1970. Studies on organophosphorus insecticides.
Part VI. Preparation and biological
activity of sulfamoylphenyl phosphoro-
thioates. Agric. Biol. Chem. 34: 1697-
1709.

I

Zweig, Gunter, and T. E. Archer

1960. Quantitative determination of Thiodan by
gas chromatography. J. Agric. Food Chem.
8: 190-192.

I

T. E. Archer, and Daniel Raz

1962. Residue determination of naphthalene acetic
acid and its methyl ester in potatoes by
a combination of gas chromatography and
ultraviolet spectrophotometry. J. Agric.
Food Chem. 10: 199-203.

PGR

T. E. Archer, and D. Rubinstein

1960. Residue analysis of chlorinated insecticide
(Thiodan) by combination of gas chromatography
and infrared spectrophotometry. J. Agric.
Food Chem. 8: 403-407.

I

